

Palisade Fencing

Palisade fencing is a new concept in security fencing in China which is widely used in the U.K. and South Africa. We provide aesthetically pleasing high security permanent fencing for industrial and residential premises. Our unique permanent bolt locking mechanism eliminates welding and promotes ease of installation for DIY.




Palisade is a style of fencing, which is now popular in steel

around many industrial sites. Palisade is more secure than many other fencing systems so wherever security is priority palisade is used.

Palisade fence is available in a range of finishes, galvanized in, or galvanized and colour coated in various colours to blend with the environment.


Werson offer their Palisade fencing with either traditional 'D' section pales or 'W' section pales in a full range of heights from 1.2 meter up to 3.6 meter.

D Section



Werson offers palisade fencing with either traditional 'D' section pales or 'W' section pales in a full range of heights from 1.2 metres up to 3.6 metres.

W Section



W section high security fencing is another style of palisade. This type of fencing is an extremely effective first line of defense against the more aggressive intruder. Suitable for high security use. W section palisade is stronger and more durable than D section and is a lot more effective as high security fencing.

Palisade Fencing Specification:

The fence comes in heights ranging from 1.8m to 3.0m.

Fence Height (mm)	Pale Profile Sections 'D' (mm)	Pale Profile Sections 'W' (mm)	Horizontal Rails Angle Section (mm)	IPA Section (mm)	Length (mm)	Support feet per bay
1800	3	2.5	45x45x6	98x55	2400	2
2000	3	2.5	45x45x6	98x55	2625	2
2100	3	2.5	45x45x6	98x55	2725	2
2400	3	2.5	45x45x6	98x55	3125	2
3000	3	2.5	50x50x6	98x55	3925	2

The thickness of panels can be as follow:

Thickness of W Panel:2.0mm,2.5mm,3.0mm;

Thickness of D Panel:2.5MM,3.0MM,3.5MM;

L Rail: 2 Horizontal Rails, And1 post.

'H' Post:

Tamper Proof Nuts &

Bolts:8mm.

Packing: pallet.

A range of standard heights
and specifications are available
together with a range of
Palisade Fencing in stock.



Available for Palisade Fencing in stock		
STANDARD HEIGHT	PALE SECTION	HEAD PROFILE
1.2M	3.0mm "D"	ROUNDED & NOTCHED
1.5M	3.0mm "D"	ROUNDED & NOTCHED
1.8M	3.0mm "D"	ROUNDED & NOTCHED
1.8M	3.0mm "D"	TRIPLE POINTED
1.8M	2.0mm "W"	TRIPLE POINTED
2.0M	3.0mm "D"	ROUNDED & NOTCHED
2.0M	3.0mm "D"	TRIPLE POINTED
2.0M	2.0mm "W"	TRIPLE POINTED
2.1M	3.0mm "D"	TRIPLE POINTED
2.1M	2.0mm "W"	TRIPLE POINTED
2.4M	3.0mm "D"	TRIPLE POINTED
2.4M	3.0mm "D"	ROUNDED & NOTCHED
2.4M	2.0mm "W"	TRIPLE POINTED
2.4M	2.5mm "W"	TRIPLE POINTED
3.0M	3.0mm "D"	TRIPLE POINTED

Hengshui Werson Wire Mesh Fence Co.,Ltd

Add:East Development of Anping County,Hengshui,Hebei,China

E sales@weldmeshfence.com | W www.weldmeshfence.com

Skype:weldmeshfence | MSN:weldmeshfence@hotmail.com

Copyright ©Werson Wire Mesh Fence Co.,. Ltd. All Rights Reserved