

Add: No.55 Qingyun Rd Jianggao Town Baiyun District Guangzhou China 510450






http://www.gzga.com.cn

E-mail: galuminium09@gmail.com

Tel: 86-20-86161838-8078

Fax: 86-20-86161763

Product Photo	Series and style	general size	profile (wall thickness)	glass	Hardware	Packing CBM	Other Describes	
								<p>GAL showroom</p>
	<p>Aluminum tube Aluminum pipe</p>	/	any	/	/	/	<p>1)Materials&Temper: 6061,6060,6063,T6, T5 2)Types: square tube, round tube, special pipe, straight tube</p>	
	<p>Anodized Profile</p>	/	any	/	/	/	<p>1)Alloy: 6063, 6061, 6060 etc 2) Standard:Under China Nation Standard GB 5237—2008 or other requirement</p>	

	Powder coating	/	any	/	/	/	1)Alloy: 6063, 6061, 6060 etc 2)Color: All colors according to customer's requirement
	Polish/Brush	/	any	/	/	/	Standard GB 5237—2008 or other requirement 2)Alloy: 6063, 6061, 6060 etc 3)Color: All colors according to customer's requirement
	Wood Spraying Aluminum	/	any	/	/	/	Wood Spraying Aluminum looks generous
	Heat Sink	/	any	/	/	/	Heat Sink Color:All colors according to customer's requirement
	Industrial Profile	/	any	/	/	/	Place of Origin:Guangzhou,Guangdong China Brand Name:Galuminium



aluminium partition	/	1.4mm	single/double	made in china	w*h*0.065	Supply a bright and modern work condition
---------------------	---	-------	---------------	---------------	-----------	---



Curtain Wall profile	/	3.0mm	single/double	made in china	/	waterproof performance improved a lot, energy saving for national, the thermal break bar no need to composite in advance, reduce the procedure, profile design considerate the material currency use
----------------------	---	-------	---------------	---------------	---	--



alu-wood curtain wall	/	3.0mm	single/double	made in china	/	energy saving with decoration, thermal isolation, waterproof, wormproof. recycle, without pollution, with completed corners and fittings profiles, having various cover profiles to choose, which satisfy most building design requirement.
-----------------------	---	-------	---------------	---------------	---	---



<p>2082 sliding window with fix top</p>	<p>900*1300</p>	<p>1.2mm/1.4mm,</p>	<p>single/double</p>	<p>made in china</p>	<p>w*h*0.097</p>
--	------------------------	----------------------------	-----------------------------	----------------------	------------------

1.Glass:6mm/5mm+6a+6mm
2.Hardware:Made in China,can be crescent lock/latch/handle lock
3.Character:uneven bottom-track-wind and water resist,fit the seaboard



<p>2086 sliding window</p>	<p>1000*1200</p>	<p>1.2mm/1.4mm</p>	<p>single/double</p>	<p>made in china</p>	<p>w*h*0.097</p>
-----------------------------------	-------------------------	---------------------------	-----------------------------	----------------------	------------------

1) Window frame: aluminium
2)Thickness: 1.4mm~1.6mm
3) Glass: single or double. Window screens are available.
4) Hardware: made in China, of high quality



<p>2086 sliding window</p>	<p>1000*1500</p>	<p>1.2mm/1.4mm</p>	<p>single/double</p>	<p>made in china</p>	<p>w*h*0.101</p>
-----------------------------------	-------------------------	---------------------------	-----------------------------	----------------------	------------------

1.profile:any color,with thermal break,wall thickness 1.4mm
2.Glass: 5mm+9A+6mm/5mm+12A+6mm
3. Character:energy saving, fit air condition room, hot territory



<p>JN65 sliding window</p>	<p>1000*1200</p>	<p>with thermal break,1.4mm</p>	<p>single/double</p>	<p>made in Germany</p>	<p>w*h*0.1</p>
-----------------------------------	-------------------------	--	-----------------------------	------------------------	----------------

1.profile:any color,with thermal break,wall thickness 1.4mm
2.Glass: 5mm+9A+6mm/5mm+12A+6mm
3. Character:energy saving, fit air condition room, hot territory



<p>JN50 tilt and turn window</p>	<p>800*1000</p>	<p>with thermal break,1.4mm</p>	<p>single/double</p>	<p>made in Germany</p>	<p>w*h*0.065</p>
----------------------------------	-----------------	---------------------------------	----------------------	------------------------	------------------

this sample with remote electric shutter between double glass/ can without







<p>JN50D casement window</p>	<p>1800*1600</p>	<p>with thermal break,1.4mm</p>	<p>single/double</p>	<p>made in Germany</p>	<p>w*h*0.065</p>
------------------------------	------------------	---------------------------------	----------------------	------------------------	------------------





1.Profile:any color,with thermal break,wall thickness2.0mm
 2.Glass:5mm+9a+6mm
 3.Hardware:Made in Germany
 4.Character:with thermal break-energy saving,opened indoor/outdoor









<p>JN55 tilt and turn window</p>	<p>900*1300</p>	<p>with thermal break, 1.8mm</p>	<p>single/double</p>	<p>made in Germany</p>	<p>w*h*0.070</p>
----------------------------------	-----------------	----------------------------------	----------------------	------------------------	------------------

this sample with remote electric shutter between double glass/ can without

	<p>JN61 casement window</p>	<p>800*1000</p>	<p>with thermal break, 1.4mm</p>	<p>single/double</p>	<p>made in Germany</p>	<p>w*h*0.076</p>	<p>Available in any sizes,elegant, economical and popular use</p>
	<p>ZX60 mid- hung window</p>	<p>600*1000</p>	<p>1.4mm</p>	<p>only single</p>	<p>made in China</p>	<p>w*h*0.075</p>	<p>1) High quality standards 2) Available in any sizes as you need</p>
	<p>LM55 alu- wood composite window</p>	<p>850*1000</p>	<p>indoor-natural outdoor- aluminium</p>	<p>single/double</p>	<p>made in Germany</p>	<p>w*h*0.065</p>	<p>congregate the space saving and airproof for swing window,meet the high living quality requirement</p>
	<p>JN60 mid- floding door</p>	<p>2000*2200</p>	<p>with thermal break, 2mm</p>	<p>single/double</p>	<p>made in Germany</p>	<p>w*h*0.075</p>	<p>profile (wall thickness): 2mm, glass: only 7mm single Hardware: made in china Packing CBM: w*h*0.085 other describes: at less 4m²</p>

	<p>Z70 mid-floding door</p>	<p>2000*2200</p>	<p>2mm</p>	<p>only 7mm single</p>	<p>made in china</p>	<p>w*h*0.085</p>	<p>profile (wall thickness): 2mm, glass: only 7mm single Hardware: made in china Packing CBM: w*h*0.085 other describes: at less 4m²</p>
	<p>JN148 sliding door</p>	<p>2000*2200</p>	<p>with thermal break, 1.8mm</p>	<p>single/double (can with remote elecricity shutter between the glass)</p>	<p>made in Germany</p>	<p>w*h*0.163</p>	<p>this sample with remote elecricisy shutter between double glass/ can without</p>
	<p>100 lift-sliding door</p>	<p>1800*2200</p>	<p>2mm</p>	<p>single/double</p>	<p>made in china</p>	<p>w*h*0.115</p>	<p>1.Profile:any color,wall thickness 2.0mm 2.Glass:5mm+9a+5mm</p>
	<p>95 sliding door with grille</p>	<p>1800*2200</p>	<p>1.5mm</p>	<p>single/double</p>	<p>made in china</p>	<p>w*h*0.110</p>	<p>1.Profile:any color,wall thickness 2.0mm 2.Glass:6mm/5mm+9a+6mm 3.Hardware:Made in China,handle lock 4.Character:looks generous</p>

	<p>95 sliding window</p>	<p>1800*2200</p>	<p>1.5mm</p>	<p>single/double</p>	<p>made in china</p>	<p>w*h*0.110</p>	<p>1.Profile:any color,wall thickness 2.0mm 2.Glass:6mm/5mm+9a+6mm 3.Hardware:Made in China,handle lock 4.Character:looks generous</p>
	<p>46spring door</p>	<p>1800*2200</p>	<p>2.2mm</p>	<p>single/double</p>	<p>made in china</p>	<p>w*h*0.061</p>	<p>1.wall thickness 2.0mm 2.Glass:6mm 3.Hardware:Made in China 4.Character:opened indoor,with spring-can be opened both inward and outward</p>
	<p>53 hinges door with buttom shutter</p>	<p>900*2200</p>	<p>2.0mm</p>	<p>single/double</p>	<p>made in china</p>	<p>w*h*0.068</p>	<p>can opened indoor/out door, without bottom sill</p>

	JNM50 hinges door	/	1.8mm	double	made in Germany	w*h*0.069	1.Profile: any color, with thermal break, wall thickness 2.0mm 2.Glass: 5mm+9a+6mm 3.Hardware: Made in Germany 4.Character: with thermal break-energy saving, opened indoor/outdoor
	120 series louvers	/	2mm	/	/	/	This shutter has advantages as simple structure, rain-proof, wind-proof, and easy to installation etc., with preferable ventilation performance and solid figure
	Hand rail	/	1.8mm	/	/	/	135conor available, can be fixed with glass, plastic board or other materials, this design is simple, but looks generous. Good for home and offices

Remark:

1. Dimension , finishing and color is up to the client.
2. The standard package: 5mm foam layer inside and packed with hard cardboard which is suitable for container shipping.
3. The design can be done according to customer's requirements