

Baoding Cvc Steel Co. Ltd, China

[More Info - http://www.steelads.com/view/companies/15656/Baoding-Cvc-Steel-Co-Ltd.html](http://www.steelads.com/view/companies/15656/Baoding-Cvc-Steel-Co-Ltd.html)

Prepainted Galvanized Coil List **Mar 15, 2011**

Item	grade	thickness (mm)	width (mm)	weight (kg)	zinc	color	coil no
PPGI	EN 10169-1-S250GD	0.343	1065	4,920	Z100	RAL8019	AA891122A31A01
PPGI	EN 10169-1-S250GD	0.35	1250	5,300	Z100	RAL9010	AA89A670X00
PPGI	EN 10169-1-S250GD	0.35	1250	5,555	Z100	RAL9010	AA89A669X00
PPGI	EN 10169-1-S250GD	0.35	1250	9,090	Z100	RAL9010	AA89A668X00
PPGI	EN 10169-1-S250GD	0.368	1152	9,230	Z100	RAL9010	AA880700B00A02
PPGI	EN 10169-1-S250GD	0.368	1152	9,600	Z100	RAL9010	AA880700A00A02
PPGI	EN 10169-1-S250GD	0.37	1170	4,180	Z100	RAL9010	AA860869A00A05
PPGI	JIS G3312 CGCC	0.37	1000	4,170	Z100	RAL5020	AA830508C10B01
PPGI	JIS G3312 CGCC	0.37	1000	4,280	Z100	RAL5020	AA830508B10B01
PPGI	EN 10169-1-S250GD	0.371	1154	5,450	Z100	RAL9010	AA870139A20A02
PPGI	EN 10169-1-S250GD	0.371	1152	7,880	Z100	RAL9010	AA870128A00A02
PPGI	EN 10169-1-S250GD	0.374	1155	5,760	Z100	RAL9010	AA880159A00A04
PPGI	EN 10169-1-S250GD	0.374	1154	6,960	Z100	RAL9010	AA870130A20A02
PPGI	EN 10169-1-S250GD	0.379	1153	5,515	Z100	RAL9010	AA870136A20A01
PPGI	EN 10169-1-S250GD	0.38	1151	8,120	Z100	RAL9010	AA880806B00A06
PPGI	EN 10169-1-S250GD	0.383	1252	7,180	Z100	RAL3011	AA880880C00A02
PPGI	EN 10169-1-S250GD	0.385	1154	5,230	Z100	RAL9010	AA870136B20A02
PPGI	EN 10169-1-S250GD	0.391	1151	8,200	Z100	RAL9010	AA880806A00A05
PPGI	JIS G3312 CGCC	0.396	1002	3,865	Z120	RAL9010	AA850821B20A01
PPGI	JIS G3312 CGCC	0.398	1205	2,935	Z120	RAL5020	AA85A713A40A01
PPGI	EN 10169-1-S250GD	0.4	1151	2,495	Z100	RAL9010	AA860821A00A02

PPGI	EN 10169-1-DX51D	0.401	1222	5,480	Z140	RAL9010	AA88A526A30A01
PPGI	ASTM A755/A653 SS GRADE 80	0.412	1042	2,485	G40	RAL9010	AA880197A00A02
PPGI	ASTM A755/A653 SS GRADE 80	0.412	1042	2,570	G40	RAL9010	AA880197A00A03
PPGI	EN 10169-1-DX51D	0.42	1221	6,870	Z140	RAL9010	AA88A202M10A01
PPGI	EN 10169-1-S250GD	0.43	1250	5,090	Z100	RAL7013	AA89A575X00
PPGI	EN 10169-1-S250GD	0.43	1250	5,215	Z120	RAL7013	AA89A671X00
PPGI	EN 10169-1-S250GD	0.43	1250	5,350	Z100	RAL7013	AA89A674X00
PPGI	EN 10169-1-S250GD	0.43	1250	5,455	Z100	RAL7013	AA89A576X00
PPGI	EN 10169-1-S250GD	0.43	1250	5,540	Z100	RAL7013	AA89A578X00
PPGI	EN 10169-1-S250GD	0.43	1250	5,560	Z110	RAL7013	AA89A577X00
PPGI	EN 10169-1-S250GD	0.43	1250	5,685	Z100	RAL7013	AA89A673X00
PPGI	EN 10169-1-S250GD	0.43	1250	5,875	Z100	RAL7013	AA89A672X00
PPGI	EN 10169-1-S250GD	0.43	1250	6,920	Z100	RAL7013	AA89A582X00
PPGI	EN 10169-1-S250GD	0.43	1250	6,930	Z100	RAL7013	AA89A583X00
PPGI	EN 10169-1-S250GD	0.43	1250	6,965	Z100	RAL7013	AA89A580X00
PPGI	EN 10169-1-S250GD	0.43	1250	7,240	Z100	RAL7013	AA89A584X00
PPGI	EN 10169-1-S250GD	0.43	1250	7,530	Z100	RAL7013	AA89A579X00
PPGI	EN 10169-1-S250GD	0.43	1250	8,040	Z100	RAL7013	AA89A581X00
PPGI	JIS G3312 CGCC	0.457	1200	4,820	Z100	RAL9010	AA851375B00A01
PPGI	JIS G3312 CGCC	0.457	1200	4,890	Z100	RAL9010	AA851375C00A01
KGC	EN 10169-1-DX51D	0.468	1222	6,660	Z160	RAL9010	AA85A649C00
KGC	EN 10169-1-DX51D	0.471	1224	6,735	Z160	RAL9010	AA85A038C00
KGC	EN 10169-1-DX51D	0.472	1223	5,925	Z160	RAL9010	AA85A641B00
KGC	EN 10169-1-DX51D	0.474	1223	5,740	Z160	RAL9010	AA85A644A00
KGC	EN 10169-1-DX51D	0.474	1223	6,885	Z160	RAL9010	AA85A537A30
KGC	EN 10169-1-DX51D	0.475	1222	6,590	Z160	RAL9010	AA85A651A30
KGC	EN 10169-1-DX51D	0.476	1222	6,690	Z160	RAL9010	AA85A652C00
KGC	EN 10169-1-DX51D	0.476	1223	6,870	Z160	RAL9010	AA85A539B00
KGC	EN 10169-1-DX51D	0.476	1222	6,905	Z160	RAL9010	AA85A652B00
KGC	EN 10169-1-DX51D	0.478	1223	6,105	Z160	RAL9010	AA85A538B10
KGC	EN 10169-1-DX51D	0.478	1223	6,835	Z160	RAL9010	AA85A650B00
KGC	EN 10169-1-DX51D	0.478	1223	6,875	Z160	RAL9010	AA85A650A00

KGC	EN 10169-1-DX51D	0.48	1223	6,945	Z160	RAL9010	AA85A653A00
KGC	EN 10169-1-DX51D	0.486	1223	7,345	Z160	RAL9010	AA85A536B10
KGC	EN 10169-1-DX51D	0.488	1225	6,595	Z160	RAL9010	AA85A037C00
KGC	EN 10169-1-DX51D	0.488	1222	6,700	Z160	RAL9010	AA85A648C00
PPGI	EN 10169-1-DX51D	0.5	1250	4,745	Z150	RAL9010	AA89A719X00
PPGI	EN 10169-1-DX51D	0.5	1250	4,950	Z150	RAL9010	AA89A709X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,045	Z150	RAL9010	AA89A715X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,100	Z150	RAL9010	AA89A717X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,110	Z150	RAL9010	AA89A716X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,125	Z150	RAL9010	AA89A718X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,130	Z150	RAL9010	AA89A701X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,165	Z150	RAL9010	AA89A705X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,275	Z150	RAL9010	AA89A710X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,790	Z150	RAL9010	AA89A696X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,820	Z150	RAL9010	AA89A695X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,855	Z150	RAL9010	AA89A699X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,930	Z150	RAL9010	AA89A713X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,960	Z150	RAL9010	AA89A712X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,985	Z150	RAL9010	AA89A711X00
PPGI	EN 10169-1-DX51D	0.5	1250	5,985	Z150	RAL9010	AA89A720X00
PPGI	EN 10169-1-DX51D	0.5	1250	6,080	Z150	RAL9010	AA89A697X00
PPGI	EN 10169-1-DX51D	0.5	1250	6,145	Z150	RAL9010	AA89A704X00
PPGI	EN 10169-1-DX51D	0.5	1250	6,145	Z150	RAL9010	AA89A698X00
PPGI	EN 10169-1-DX51D	0.5	1250	6,180	Z150	RAL9010	AA89A714X00
PPGI	EN 10169-1-DX51D	0.5	1250	6,400	Z150	RAL9010	AA89A702X00
PPGI	EN 10169-1-DX51D	0.5	1250	6,480	Z150	RAL9010	AA89A706X00
PPGI	EN 10169-1-DX51D	0.506	1253	7,910	Z225	RAL6002	AA88A544B10A01
KGC	EN 10169-1-DX51D	0.513	1222	6,340	Z180	RAL6002	AA85A512C00
KGC	EN 10169-1-DX51D	0.513	1222	6,440	Z180	RAL6002	AA85A512B00
PPGI	ASTM A755/A653 SS GRADE 40	0.517	1238	5,575	G60	RAL7013	AA851260A00A01
PPGI	ASTM A755M/A653M CS TYPE B	0.518	1253	2,405	Z120	RAL6002	AA88A591B00A02
PPGI	ASTM A755M/A653M CS TYPE B	0.518	1253	2,600	Z120	RAL6002	AA88A591B00A01

PPGI	ASTM A755M/A653M CS TYPE B	0.526	1250	4,215	Z120	RAL2000	AA88A643A00
PPGI	ASTM A755M/A653M CS TYPE B	0.53	1255	2,740	Z120	RAL2000	AA88A602A00A02
PPGI	ASTM A755M/A653M CS TYPE B	0.53	1255	3,110	Z120	RAL2000	AA88A602A00A01
KGC	EN 10169-1-DX51D	0.532	1225	4,720	Z180	RAL6002	AA85A510B00
PPGI	ASTM A755/A653 SS GRADE 40	0.537	1137	3,930	G60	RAL7013	AA851258B00A02
PPGI	ASTM A755M/A653M CS TYPE B	0.537	1254	4,020	Z120	RAL9010	AA880822D00A01
PPGI	ASTM A755M/A653M CS TYPE B	0.537	1254	4,020	Z120	RAL9010	AA880822C00A01
PPGI	EN 10169-1-S250GD	0.572	1255	6,725	Z120	RAL7013	AA880815A00A02
KGC	EN 10169-1-DX51D	0.579	1223	6,655	Z180	RAL9010	AA85A072A00
PPGI	EN 10169-1-S280GD	0.58	1080	5,810	Z100	RAL7013	AA89A679X00
PPGI	EN 10169-1-S280GD	0.58	1080	5,840	Z225	RAL9010	AA89A680X00
PPGI	EN 10169-1-S280GD	0.58	1080	6,345	Z275	RAL9010	AA89A681X00
PPGI	EN 10169-1-S280GD	0.581	1225	6,570	Z225	RAL9010	AA881251C00A01
PPGI	EN 10169-1-S280GD	0.582	1226	10,190	Z225	RAL2000	AA881245B00A01
PPGI	EN 10169-1-S280GD	0.582	1226	10,365	Z225	RAL2000	AA881245A00A01
PPGI	EN 10169-1-S280GD	0.586	1226	7,690	Z225	RAL9010	AA881255A00A01
PPGI	EN 10169-1-S280GD	0.587	1224	6,795	Z225	RAL9010	AA881254B10A01
PPGI	EN 10169-1-S280GD	0.587	1224	6,975	Z225	RAL9010	AA881254B20A01
PPGI	EN 10169-1-S280GD	0.587	1226	7,160	Z225	RAL2000	AA881240C00A01
PPGI	EN 10169-1-S280GD	0.589	1165	6,850	Z225	RAL2000	AA860792B20A02
PPGI	EN 10169-1-S280GD	0.589	1165	6,875	Z225	RAL2000	AA860792B10A02
PPGI	EN 10169-1-S280GD	0.592	1226	7,495	Z225	RAL9010	AA881271A00A01
PPGI	EN 10169-1-S280GD	0.598	1225	7,045	Z225	RAL9010	AA881253C00A01
PPGI	EN 10169-1-S280GD	0.598	1225	7,175	Z225	RAL9010	AA881253A00A01
PPGI	EN 10169-1-S280GD	0.598	1225	7,190	Z225	RAL9010	AA881253B00A01
PPGI	EN 10169-1-S280GD	0.599	1226	7,255	Z225	RAL9010	AA881252A00A01
PPGI	EN 10169-1-S280GD	0.599	1226	7,310	Z225	RAL9010	AA881252B00A01
PPGI	EN 10169-1-S280GD	0.599	1226	7,375	Z225	RAL2000	AA881260B00A01
PPGI	EN 10169-1-S280GD	0.599	1226	8,005	Z225	RAL2000	AA881242A00A01
PPGI	EN 10169-1-DX51D	0.615	1256	2,660	G150	RAL9010	AA880082A00A01
PPGI	EN 10169-1-DX51D	0.631	1254	4,700	Z150	RAL9010	AA880833B10A01
PPGI	EN 10169-1-DX51D	0.631	1254	4,740	Z150	RAL9010	AA880833B20A01

PPGI	ASTM A755M/A653M CS TYPE B	0.67	1255	3,730	Z120	RAL9010	AA83A331C10A01
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	2,655	Z120	RAL5020	AA89A754X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	2,950	Z120	RAL9010	AA89A692X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,090	Z120	RAL2000	AA89A599X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,090	Z120	RAL2000	AA89A598X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,095	Z120	RAL9010	AA89A690X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,130	Z100	RAL5020	AA89A770X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,130	Z120	RAL2000	AA89A597X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,145	Z120	RAL9010	AA89A691X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,150	Z120	RAL9010	AA89A694X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,150	Z120	RAL7013	AA89A769X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,160	Z100	RAL5020	AA89A753X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,165	Z120	RAL9010	AA89A689X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,170	Z100	RAL5020	AA89A746X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,180	Z100	RAL5020	AA89A761X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,185	Z100	RAL5020	AA89A747X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,220	Z120	RAL9010	AA89A693X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,270	Z120	RAL9010	AA89A683X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,300	Z120	RAL9010	AA89A684X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,435	Z120	RAL9010	AA89A682X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,860	Z120	RAL2000	AA89A591X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,870	Z120	RAL2000	AA89A593X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,885	Z120	RAL2000	AA89A592X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,910	Z120	RAL2000	AA89A590X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,935	Z120	RAL2000	AA89A589X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	3,940	Z120	RAL2000	AA89A594X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,165	Z120	RAL9010	AA89A685X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,180	Z120	RAL9010	AA89A686X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,295	Z120	RAL9010	AA89A688X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,315	Z120	RAL9010	AA89A687X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,450	z120	RAL2000	AA89A600X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,500	Z120	RAL2000	AA89A596X00

PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,500	Z120	RAL2000	AA89A755X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,500	Z120	RAL2000	AA89A595X00
PPGI	ASTM A755M/A653M CS TYPE B	0.7	1250	4,500	Z120	RAL5020	AA89A751X00
PPGI	EN 10169-1-DX51D	0.7	1250	4,705	Z150	RAL9010	AA89A723X00
PPGI	EN 10169-1-DX51D	0.7	1250	4,780	Z150	RAL9010	AA89A728X00
PPGI	EN 10169-1-DX51D	0.7	1250	4,785	Z150	RAL9010	AA89A727X00
PPGI	EN 10169-1-DX51D	0.7	1250	4,820	Z150	RAL9010	AA89A724X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,095	Z150	RAL9010	AA89A737X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,105	Z150	RAL9010	AA89A738X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,135	Z150	RAL9010	AA89A732X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,155	Z150	RAL9010	AA89A733X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,200	Z150	RAL2000	AA89A632X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,235	Z150	RAL9010	AA89A774X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,275	Z150	RAL9010	AA89A734X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,295	Z150	RAL9010	AA89A775X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,495	Z150	RAL2000	AA89A640X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,540	Z150	RAL9010	AA89A730X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,645	Z150	RAL9010	AA89A731X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,705	Z150	RAL9010	AA89A736X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,725	Z150	RAL9010	AA89A776X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,770	Z150	RAL2000	AA89A639X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,775	Z150	RAL9010	AA89A735X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,775	Z150	RAL2000	AA89A642X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,775	Z150	RAL9010	AA89A743X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,820	Z150	RAL9010	AA89A744X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,855	Z150	RAL2000	AA89A641X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,855	Z150	RAL9010	AA89A742X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,855	Z150	RAL9010	AA89A779X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,860	Z150	RAL2000	AA89A635X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,860	Z150	RAL2000	AA89A643X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,885	Z150	RAL9010	AA89A741X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,885	Z150	RAL2000	AA89A645X00

PPGI	EN 10169-1-DX51D	0.7	1250	5,890	Z150	RAL9010	AA89A726X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,905	Z150	RAL9010	AA89A725X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,905	Z150	RAL2000	AA89A646X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,925	Z150	RAL2000	AA89A636X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,930	Z150	RAL2000	AA89A644X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,940	Z150	RAL2000	AA89A638X00
PPGI	EN 10169-1-DX51D	0.7	1250	5,970	Z150	RAL9010	AA89A729X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,005	Z150	RAL2000	AA89A634X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,005	Z150	RAL2000	AA89A637X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,030	Z150	RAL9010	AA89A780X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,085	Z150	RAL9010	AA89A721X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,105	Z150	RAL9010	AA89A740X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,105	Z150	RAL9010	AA89A777X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,150	Z150	RAL9010	AA89A739X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,165	Z150	RAL9010	AA89A722X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,540	Z150	RAL9010	AA89A778X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,695	Z150	RAL9010	AA89A781X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,750	Z150	RAL2000	AA89A633X00
PPGI	EN 10169-1-DX51D	0.7	1250	6,810	Z150	RAL2000	AA89A631X00
PPGI	EN 10169-1-DX51D	0.7	1250	8,845	Z150	RAL9010	AA89A745X00
PPGI	EN 10169-1-DX51D	0.708	1190	9,750	Z275	RAL3011	AA880708B00A02
PPGI	EN 10169-1-DX51D	0.708	1190	9,875	Z275	RAL9010	AA880708A00A02
PPGI	EN 10169-1-DX51D	0.711	1190	6,165	Z275	RAL3011	AA880726B20A02
PPGI	EN 10169-1-DX51D	0.711	1190	6,445	Z275	RAL3011	AA880726B10A02
PPGI	EN 10169-1-DX51D	0.711	1190	6,770	Z275	RAL3011	AA880726A00A02
PPGI	EN 10169-1-S280GD	0.711	1223	6,235	Z100	RAL9010	AA851095C00A03
PPGI	EN 10169-1-S280GD	0.711	1223	6,415	Z100	RAL9010	AA851095B00A03
PPGI	EN 10169-1-DX51D	0.712	1190	9,585	Z275	RAL3011	AA880716B00A02
PPGI	EN 10169-1-DX51D	0.712	1190	10,075	Z275	RAL3011	AA880716A00A02
PPGI	EN 10169-1-S280GD	0.712	1225	4,775	Z100	RAL9010	AA88A232A20A04
PPGI	EN 10169-1-S280GD	0.712	1225	4,940	Z100	RAL9010	AA88A232A10A04
PPGI	EN 10169-1-S280GD	0.712	1225	10,165	Z225	RAL8019	AA880592B00A01

PPGI	EN 10169-1-S280GD	0.712	1225	10,225	Z225	RAL8019	AA880592A00A01
PPGI	EN 10169-1-S280GD	0.713	1224	4,885	Z100	RAL9010	AA780355C00B02
PPGI	EN 10169-1-S280GD	0.713	1224	6,105	Z100	RAL9010	AA780355B00B02
PPGI	EN 10169-1-S280GD	0.716	1224	5,815	Z100	RAL9010	AA851094B10A02
PPGI	EN 10169-1-S280GD	0.717	1222	6,410	Z100	RAL9010	AA851131C00A02
PPGI	EN 10169-1-S280GD	0.719	1225	4,480	Z100	RAL9010	AA88A233B10A03
PPGI	EN 10169-1-S280GD	0.719	1225	10,250	Z225	RAL9010	AA880597B00A01
PPGI	EN 10169-1-S280GD	0.719	1225	10,470	Z225	RAL9010	AA880597A00A01
PPGI	EN 10169-1-S280GD	0.72	1226	7,885	Z100	RAL9010	AA852502A00A02
PPGI	EN 10169-1-S280GD	0.72	1225	7,415	Z100	RAL9010	AA871103C00A02
PPGI	EN 10169-1-S280GD	0.72	1225	7,510	Z100	RAL9010	AA871103B00A02
PPGI	EN 10169-1-S280GD	0.72	1225	7,640	Z100	RAL9010	AA871103A00A02
PPGI	EN 10169-1-S280GD	0.721	1224	6,085	Z100	RAL9010	AA851060B30A02
PPGI	EN 10169-1-S280GD	0.721	1225	6,305	Z100	RAL9010	AA870720C00A02
PPGI	EN 10169-1-S280GD	0.721	1225	6,485	Z100	RAL9010	AA870720A00A02
PPGI	EN 10169-1-S280GD	0.721	1224	6,765	Z100	RAL9010	AA851060B20A02
PPGI	EN 10169-1-S280GD	0.722	1225	5,850	Z100	RAL9010	AA860051B00A02
PPGI	EN 10169-1-S280GD	0.723	1225	7,390	Z100	RAL9010	AA871105C00A02
PPGI	EN 10169-1-S280GD	0.723	1225	7,500	Z100	RAL9010	AA871105B00A02
PPGI	EN 10169-1-S280GD	0.723	1225	7,575	Z100	RAL9010	AA871105A00A02
PPGI	EN 10169-1-S280GD	0.724	1220	5,615	Z225	RAL9010	AA880600A00A02
PPGI	EN 10169-1-S280GD	0.727	1226	7,935	Z225	RAL9010	AA880582C00A01
PPGI	EN 10169-1-S280GD	0.728	1225	7,610	Z225	RAL9010	AA880601A00A01
PPGI	EN 10169-1-S280GD	0.728	1226	7,645	Z100	RAL9010	AA860528B00A02
PPGI	EN 10169-1-S280GD	0.728	1226	7,820	Z100	RAL9010	AA860528A00A02
PPGI	EN 10169-1-S280GD	0.728	1225	8,085	Z225	RAL9010	AA880601C00A01
PPGI	EN 10169-1-S280GD	0.731	1224	6,405	Z100	RAL9010	AA851060A00A02
PPGI	EN 10169-1-S280GD	0.732	1225	5,425	Z100	RAL9010	AA860465B30A02
PPGI	EN 10169-1-S280GD	0.733	1225	5,905	Z100	RAL9010	AA860465A00A02
PPGI	EN 10169-1-S280GD	0.738	1222	9,710	Z225	RAL8019	AA871220A00A03
PPGI	EN 10169-1-S280GD	0.739	1226	6,960	Z225	RAL9010	AA880584A00A01
PPGI	EN 10169-1-S280GD	0.739	1226	8,365	Z225	RAL9010	AA880584B00A01

PPGI	EN 10169-1-DX51D	0.741	1254	5,210	Z150	RAL9010	AA880827B10A01
PPGI	EN 10169-1-DX51D	0.741	1254	5,275	Z150	RAL9010	AA880827B20A01
PPGI	EN 10169-1-DX51D	0.771	1225	9,950	Z180	RAL9010	AA880603B00A02
PPGI	EN 10169-1-S280GD	0.775	1225	6,985	Z225	RAL6002	AA890346B00A01
PPGI	EN 10169-1-S280GD	0.785	1225	7,005	Z225	RAL6002	AA890414C00A01
PPGI	EN 10169-1-S280GD	0.785	1225	7,360	Z225	RAL6002	AA890414B00A01
PPGI	EN 10169-1-S280GD	0.844	1225	5,885	Z100	RAL9010	AA851280D00A04
PPGI	EN 10169-1-S280GD	0.844	1225	6,005	Z100	RAL9010	AA851280B00A04
PPGI	EN 10169-1-S280GD	0.844	1225	6,100	Z100	RAL9010	AA851280A00A04
PPGI	EN 10169-1-S280GD	0.844	1225	6,125	Z100	RAL9010	AA851280C00A04
PPGI	EN 10169-1-S280GD	0.863	1226	8,105	Z100	RAL9010	AA880624A00A02
Total				1,507,395			

Quality : prime.
Top Coating : 2/2, 25µm / 7µm.
Price : 913.17 usd/ton, or 679.69 eur/ton, FOB Shanghai, China,
Min order qty : tons.