





Crimped Wire Mesh

Wire Materials: low carbon steel wire, high carbon steel wire, stainless steel wire 302, 304, 304L, 310, 316, 316L, wire rod.




Weaving Patterns: Weaving after crimping with all types (lock weaving, double crimped weaving, double lock weaving, smooth flat weaving of double wire, scalping weaving, triple lock weaving).

General Use: Screening in mine, coal factory, construction and other industries. Some galvanized crimped wire mesh and stainless steel crimped wire mesh are for roasting of flour food and meat.





Weaving Patterns:



Specification List of Crimped Wire Mesh in stock (material: iron)			
Wire Diameter (mm)	Aperture (mm)	Wire Diameter (mm)	Aperture(mm)
0.6	3	0.9	8
0.7	4	1.0	10
0.8	5	1.2	12
0.9	6	1.5	15
Technical Note: 1. Standard roll length: 15 feet (4572mm) and 30 feet (9144mm); width: 30" (762mm) and 40" (1016mm). 2. Special sizes available at request. 3. Packing: in waterproof paper in rolls. Custom packing available at request.		Technical Note: 1. Standard roll length: 15 feet (4572mm) and 30 feet (9144mm); width: 30" (762mm) and 40" (1016mm). 2. Special sizes available at request. 3. Packing: in waterproof paper in rolls. Custom packing available at request.	



ANPING XINYUFENGLONG METAL PRODUCTS CO., LTD.

Specification List of Crimped Wire Mesh in stock (material: low carbon steel)			
Wire Diameter (mm)	Aperture (mm)	Wire Diameter (mm)	Aperture (mm)
0.7	1.0	4.0	20
1.0	1.5	4.0	20
1.4	2.0	5.0	25
1.6	2.5	5.0	25
2.0	3.0	6.0	20
2.0	3.5	6.0	20
2.5	4.0	8.0	25
2.5	5.0	10.0	25
3.0	6.0		
Technical Note: 1. Standard length of each piece is 2m; width 1.5m 2. Special sizes available at request. 3. Packing: in pallet covered with plastic sheet. Custom packing available at request.		Technical Note: 1. Standard length of each piece is 2m; width 1.5m 2. Special sizes available at request. 3. Packing: in pallet covered with plastic sheet. Custom packing available at request.	

Add: Yuanxi Industrial Zone, Anping county, Hebei (053600), China
Phone: +86 318 7530998 Fax: +86 318 5189866
E-mail: sales@xyfl.co [Http://www.xyflwiremesh.com](http://www.xyflwiremesh.com)