

Stock Seamless Steel Pipes/tubes for export

Bundles	OD	W.T	Steel Grade		Standard	T.Weight(M T)	Remark
1	298.4	20.3	N80-Q		API 5CT	271.708	Blank Coupling
1	298.4	20.3	J55		API 5CT	90.53	Blank Coupling
1	269.9	21	N80-Q		API 5CT	20.288	Blank Coupling
						382.526	
2	351	16	Gr.C		ASTM A106	5.125	
2	299	12	Gr.C		ASTM A106	2.945	
2	299	12	Gr.C		ASTM A106	76.813	
2	299	14	Gr.C		ASTM A106	1.921	
2	299	13	Gr.C		ASTM A106	7.623	
2	273	16	Gr.C		ASTM A106	153.238	
2	273	16	Gr.C		ASTM A106	5.199	
2	273	18	Gr.C		ASTM A106	7.853	
2	273	14	Gr.C		ASTM A106	0.853	
2	273	18	Gr.C		ASTM A106	0.956	
2	351	12	Gr.C		ASTM A106	4.304	
2	351	13	Gr.C		ASTM A106	4.246	
2	377	10	Gr.C		ASTM A106	59.434	
2	377	10	Gr.C		ASTM A106	6.972	
2	351	16	Gr.C		ASTM A106	5.142	
2	351	16	Gr.C		ASTM A106	1.322	
2	406	14	Gr.C		ASTM A106	3.023	
2	351	12	Gr.C		ASTM A106	4.308	
2	377	12	Gr.C		ASTM A106	44.03	
2	377	11	Gr.C		ASTM A106	6.893	
2	377	12	Gr.C		ASTM A106	2.487	
2	377	12	Gr.C		ASTM A106	6.963	
2	377	12	Gr.C		ASTM A106	2.335	
2	377	14	Gr.C		ASTM A106	49.166	
2	377	14	Gr.C		ASTM A106	5.458	
						468.609	
3	339.7	12.19	N80-1		API 5CT	1.117	R2/R3
3	339.7	9.65	N80-Q		API 5CT	44.147	R2/R3
3	339.7	10.92	N80-Q		API 5CT	36.819	R2/R3
3	339.7	12.19	N80-Q		API 5CT	16.802	R2/R3
3	339.7	9.65	N80-1		API 5CT	9.599	R2/R3
3	339.7	12.19	N80-1		API 5CT	13.566	R2/R3
3	339.7	10.92	N80-1		API 5CT	108.38	R2/R3
						230.43	
4	273	32	P11		ASME SA335	6.234	
4	273	32	P11		ASME SA335	4.447	
4	325	18	P11		ASME SA335	17.596	

4	325	28	P11		ASME SA335	1.573	
4	325	32	P11		ASME SA335	5.612	
4	325	36	P11		ASME SA335	1.976	
4	325	38	P11		ASME SA335	1.977	
4	325	40	P11		ASME SA335	4.155	
4	406	14	P11		ASME SA335	1.345	
4	406	16	P11		ASME SA335	1.419	
4	406	32	P11		ASME SA335	2.267	
4	406	28	P11		ASME SA335	4.583	
4	406	40	P11		ASME SA335	8.74	
4	325	14	P5		ASME SA335	4.318	
4	325	15	P5		ASME SA335	2.425	
4	325	16	P5		ASME SA335	2.653	
4	325	20	P5		ASME SA335	2.383	
4	325	24	P5		ASME SA335	7.497	
4	325	13	P5		ASME SA335	3.726	
4	325	14	P5		ASME SA335	3.158	
4	325	24	P5		ASME SA335	2.824	
4	426	16	P12		ASME SA335	3.311	
4	426	14	P12		ASME SA335	3.574	
4	426	16	P12		ASME SA335	3.249	
4	426	21	P12		ASME SA335	4.17	
4	325	14	P11		ASME SA335	18.569	
4	325	14	P11		ASME SA335	4.306	
4	325	25	P11		ASME SA335	4.274	
4	325	28	P11		ASME SA335	6.419	
4	406	37	P11		ASME SA335	4.572	
						143.352	
5	351	20	Gr.C		ASTM A106	1.347	
5	377	24	Gr.C		ASTM A106	5.821	
5	377	25	Gr.C		ASTM A106	19.414	
5	377	25	Gr.C		ASTM A106	1.745	
5	426	14	Gr.C		ASTM A106	1.412	
5	426	14	Gr.C		ASTM A106	3.006	
5	351	12	Gr.C		ASTM A106	6.064	
5	351	18	Gr.C		ASTM A106	3.163	
5	351	19	Gr.C		ASTM A106	17.093	
5	351	20	Gr.C		ASTM A106	1.596	
5	377	25	Gr.C		ASTM A106	9.9	
5	377	30	Gr.C		ASTM A106	3.645	
5	351	11	Gr.C		ASTM A106	17.568	
5	351	12	Gr.C		ASTM A106	7.058	
5	351	15	Gr.C		ASTM A106	9.159	
5	351	24	Gr.C		ASTM A106	12.747	
5	351	11	Gr.C		ASTM A106	4.366	

5	351	12	Gr.C		ASTM A106	7.822	
5	351	13	Gr.C		ASTM A106	1.194	
5	351	15	Gr.C		ASTM A106	1.332	
5	351	18	Gr.C		ASTM A106	3.946	
5	351	22	Gr.C		ASTM A106	13.054	
5	351	24	Gr.C		ASTM A106	1.804	
5	351	25	Gr.C		ASTM A106	2.082	
5	351	26	Gr.C		ASTM A106	1.944	
5	351	28	Gr.C		ASTM A106	1.902	
5	356	10	Gr.C		ASTM A106	0.816	
5	356	13	Gr.C		ASTM A106	4.894	
5	356	14	Gr.C		ASTM A106	12.684	
5	356	18	Gr.C		ASTM A106	4.724	
5	356	10	Gr.C		ASTM A106	2.507	
5	356	13	Gr.C		ASTM A106	1.19	
5	356	14	Gr.C		ASTM A106	1.353	
5	356	16	Gr.C		ASTM A106	1.28	
5	369	16	Gr.C		ASTM A106	6.462	
5	369	18	Gr.C		ASTM A106	2.488	
5	369	18	Gr.C		ASTM A106	1.285	
5	369	20	Gr.C		ASTM A106	1.312	
5	377	10	Gr.C		ASTM A106	4.85	
5	377	11	Gr.C		ASTM A106	2.767	
5	377	13	Gr.C		ASTM A106	14.203	
5	377	14	Gr.C		ASTM A106	9.255	
5	377	15	Gr.C		ASTM A106	7.423	
5	377	20	Gr.C		ASTM A106	5.206	
5	377	25	Gr.C		ASTM A106	1.892	
5	377	28	Gr.C		ASTM A106	21.169	
5	377	11	Gr.C		ASTM A106	2.042	
5	377	13	Gr.C		ASTM A106	9.145	
5	377	14	Gr.C		ASTM A106	1.262	
5	402	11	Gr.C		ASTM A106	2.492	
5	402	12	Gr.C		ASTM A106	1.157	
5	402	13	Gr.C		ASTM A106	4.761	
5	402	14	Gr.C		ASTM A106	1.223	
5	402	15	Gr.C		ASTM A106	3.353	
5	402	18	Gr.C		ASTM A106	1.822	
5	402	25	Gr.C		ASTM A106	6.037	
5	402	11	Gr.C		ASTM A106	2.387	
5	402	12	Gr.C		ASTM A106	1.047	
5	402	14	Gr.C		ASTM A106	1.25	
5	406	13	Gr.C		ASTM A106	1.267	
5	406	28	Gr.C		ASTM A106	10.947	
5	406	33	Gr.C		ASTM A106	16.491	

5	406	34	Gr.C		ASTM A106	2.439	
5	406	36	Gr.C		ASTM A106	2.168	
5	406	28	Gr.C		ASTM A106	2.225	
5	406	33	Gr.C		ASTM A106	11.662	
5	406	42	Gr.C		ASTM A106	2.292	
5	426	12	Gr.C		ASTM A106	1.299	
5	426	16	Gr.C		ASTM A106	11.744	
5	426	18	Gr.C		ASTM A106	12.156	
5	426	19	Gr.C		ASTM A106	3.641	
5	426	20	Gr.C		ASTM A106	20.4	
5	426	22	Gr.C		ASTM A106	1.769	
5	426	28	Gr.C		ASTM A106	6.958	
5	426	11	Gr.C		ASTM A106	1.251	
5	426	14	Gr.C		ASTM A106	1.269	
5	426	16	Gr.C		ASTM A106	10.285	
5	426	18	Gr.C		ASTM A106	3.259	
5	426	28	Gr.C		ASTM A106	2.375	
5	406	10	Gr.C		ASTM A106	1.858	
5	406	10	Gr.C		ASTM A106	0.905	
						434.582	
6	325	10	Gr.C		ASTM A106	28.874	
6	325	11	Gr.C		ASTM A106	0.829	
6	325	10	Gr.C		ASTM A106	1.706	
6	299	15	Gr.C		ASTM A106	1.039	
6	299	20	Gr.C		ASTM A106	1.039	
6	299	10	Gr.C		ASTM A106	4.886	
6	299	20	Gr.C		ASTM A106	1.053	
6	299	13	Gr.C		ASTM A106	0.844	
6	325	10	Gr.C		ASTM A106	7.077	
6	325	14	Gr.C		ASTM A106	2.195	
6	325	20	Gr.C		ASTM A106	3.094	
6	299	11	Gr.C		ASTM A106	9.559	
6	299	12	Gr.C		ASTM A106	7.941	
6	299	13	Gr.C		ASTM A106	4.086	
6	299	14	Gr.C		ASTM A106	11.678	
6	299	16	Gr.C		ASTM A106	5.293	
6	299	17	Gr.C		ASTM A106	4.208	
6	299	18	Gr.C		ASTM A106	19.745	
6	299	20	Gr.C		ASTM A106	1.304	
6	299	22	Gr.C		ASTM A106	4.607	
6	299	25	Gr.C		ASTM A106	6.322	
6	299	9	Gr.C		ASTM A106	1.461	
6	299	11	Gr.C		ASTM A106	4.454	
6	299	12	Gr.C		ASTM A106	4.687	
6	299	14	Gr.C		ASTM A106	0.877	

6	299	16	Gr.C		ASTM A106	2.158	
6	299	18	Gr.C		ASTM A106	5.217	
6	325	10	Gr.C		ASTM A106	9.386	
6	325	11	Gr.C		ASTM A106	6.531	
6	325	12	Gr.C		ASTM A106	0.907	
6	325	13	Gr.C		ASTM A106	6.25	
6	325	14	Gr.C		ASTM A106	8.659	
6	325	16	Gr.C		ASTM A106	3.255	
6	325	17	Gr.C		ASTM A106	8.915	
6	325	18	Gr.C		ASTM A106	2.717	
6	325	20	Gr.C		ASTM A106	3.911	
6	325	21	Gr.C		ASTM A106	4.686	
6	325	22	Gr.C		ASTM A106	5.905	
6	325	26	Gr.C		ASTM A106	4.588	
6	325	28	Gr.C		ASTM A106	3.212	
6	325	10	Gr.C		ASTM A106	0.777	
6	325	11	Gr.C		ASTM A106	3.001	
6	325	12	Gr.C		ASTM A106	1.907	
6	325	13	Gr.C		ASTM A106	2.145	
6	325	14	Gr.C		ASTM A106	3.997	
6	325	16	Gr.C		ASTM A106	3.366	
6	325	17	Gr.C		ASTM A106	1.464	
6	325	21	Gr.C		ASTM A106	3.117	
6	325	22	Gr.C		ASTM A106	1.35	
6	325	14	Gr.C		ASTM A106	0.888	
						237.167	
7	245	30	Gr.C		ASTM A106	1.174	
7	273	8	Gr.C		ASTM A106	21.617	
7	273	9	Gr.C		ASTM A106	1.739	
7	273	13	Gr.C		ASTM A106	4.376	
7	273	14	Gr.C		ASTM A106	1.781	
7	273	15	Gr.C		ASTM A106	0.841	
7	273	16	Gr.C		ASTM A106	8.546	
7	273	8	Gr.C		ASTM A106	4.674	
7	273	9	Gr.C		ASTM A106	2.3	
7	273	10	Gr.C		ASTM A106	1.755	
7	273	16	Gr.C		ASTM A106	3.034	
7	273	9	Gr.C		ASTM A106	0.718	
7	273	10	Gr.C		ASTM A106	2.254	
7	273	11	Gr.C		ASTM A106	5.072	
7	273	12	Gr.C		ASTM A106	0.741	
7	273	13	Gr.C		ASTM A106	2.65	
7	273	16	Gr.C		ASTM A106	2.86	
7	273	18	Gr.C		ASTM A106	0.971	
7	273	10	Gr.C		ASTM A106	1.002	

7	273	14	Gr.C		ASTM A106	2.352	
7	273	15	Gr.C		ASTM A106	0.937	
7	273	16	Gr.C		ASTM A106	2.894	
7	273	8	Gr.C		ASTM A106	1.73	
7	273	9	Gr.C		ASTM A106	17.318	
7	273	11	Gr.C		ASTM A106	19.912	
7	273	12	Gr.C		ASTM A106	10.336	
7	273	13	Gr.C		ASTM A106	1.746	
7	273	15	Gr.C		ASTM A106	22.042	
7	273	16	Gr.C		ASTM A106	1.006	
7	273	18	Gr.C		ASTM A106	28.167	
7	273	22	Gr.C		ASTM A106	19.623	
7	273	24	Gr.C		ASTM A106	17.064	
7	273	28	Gr.C		ASTM A106	89.896	
7	273	7	Gr.C		ASTM A106	0.564	
7	273	9	Gr.C		ASTM A106	2.696	
7	273	11	Gr.C		ASTM A106	8.595	
7	273	12	Gr.C		ASTM A106	3.563	
7	273	13	Gr.C		ASTM A106	0.684	
7	273	15	Gr.C		ASTM A106	3.041	
7	273	18	Gr.C		ASTM A106	3.405	
7	273	22	Gr.C		ASTM A106	3.42	
7	273	24	Gr.C		ASTM A106	2.309	
						331.405	
8	273.1	10.16	J55	32Mn6	API 5CT	31.62	R2
8	273.1	11.43	J55	32Mn6	API 5CT	5.159	R2
8	273.1	10.16	J55	34Mn6	API 5CT	61.72	R2
8	273.1	11.43	J55	34Mn6	API 5CT	3.359	R2
8	339.7	9.65	J55	32Mn6	API 5CT	34.01	R2
8	339.7	10.92	J55	32Mn6	API 5CT	91.926	R2
8	339.7	12.19	J55	32Mn6	API 5CT	17.29	R2
8	339.7	9.65	J55	34Mn6	API 5CT	281.9	R2
8	339.7	10.92	J55	34Mn6	API 5CT	257.635	R2
8	339.7	12.19	J55	34Mn6	API 5CT	193.36	R2
8	339.7	12.19	J55	30Mn2	API 5CT	19	R2
8	298.4	9.52	J55	34Mn6	API 5CT	86.525	R2
8	298.4	11.05	J55	34Mn6	API 5CT	36.024	R2
						1119.528	
9	139.7	7.72	J55	32Mn6	API 5CT	404.289	R2
9	139.7	7.72	J55	34Mn6	API 5CT	20.879	R2
9	139.7	7.72	K55	34Mn6	API 5CT	51.724	R2
9	139.7	7.72	K55	34Mn6	API 5CT	1.039	R2
						477.931	
10	244.5	8.94	J55	32Mn6	API 5CT	108.693	R2
10	244.5	8.94	K55	34Mn6	API 5CT	130.969	R2

						239.662	
11	139.7	7.72	N80Q	34Mn6	API 5CT	44.506	R2
11	139.7	9.17	N80Q	34Mn6	API 5CT	15.307	R2
						59.813	
12	114.3	8.56	25CrMnMo	25CrMn	XY	32.406	
12	127	9.19	25CrMnMo	Mo	XY	1.576	
12	139.7	9.17	N80Q	34Mn6	5CT	61.322	
						95.304	
13	108	10	P12		ASME SA335	8.843	
13	108	12	09Mn2VDG		GB/T18984	17.795	
13	139.7	7.72	27CrMo		5CT	7.176	
13	114	10	P12		ASME SA335	8.331	
13	140	8	P12		ASME SA335	7.864	
						50.009	
	合计					4270.318	