

DjoXkz IBC

PRODUCT RANGE

Rare Earth Oxide

Lanthanum Oxide	Specification: $\text{La}_2\text{O}_3/\text{TREO} \geq 99.9\%$ or 99.999%
Cerium Oxide	Specification: $\text{CeO}_2/\text{TREO} \geq 99.9\%$
Praseodymium Oxide	Specification: $\text{P6O}_{11}/\text{TREO} \geq 99.9\%$
Neodymium Oxide	Specification: $\text{Nd}_2\text{O}_3/\text{TREO} \geq 99.9\%$
Samarium Oxide	Specification: $\text{Sm}_2\text{O}_3/\text{TREO} \geq 99.9\%$
Europium Oxide	Specification: $\text{Eu}_2\text{O}_3/\text{TREO} \geq 99.999\%$
Gadolinium Oxide	Specification: $\text{Gd}_2\text{O}_3/\text{TREO} \geq 99.9\%$ or 99.999%
Terbium Oxide	Specification: $\text{Tb}_4\text{O}_7/\text{TREO} \geq 99.995\%$
Dysprosium Oxide	Specification: $\text{Dy}_2\text{O}_3/\text{TREO} \geq 99.9\%$
Holmium Oxide	Specification: $\text{Ho}_2\text{O}_3/\text{TREO} \geq 99.9\%$
Erbium Oxide	Specification: $\text{Er}_2\text{O}_3/\text{TREO} \geq 99.9\%$
Thulium Oxide	Specification: $\text{Tm}_2\text{O}_3/\text{TREO} \geq 99.0\%$
Ytterbium Oxide	Specification: $\text{Yb}_2\text{O}_3/\text{TREO} \geq 99.9\%$
Lutetium Oxide	Specification: $\text{Lu}_2\text{O}_3/\text{TREO} \geq 99.999\%$
Yttrium Oxide	Specification: $\text{Y}_2\text{O}_3/\text{TREO} \geq 99.999\%$
Didymium Oxide	Specification: $(\text{P6O}_{11} + \text{Nd}_2\text{O}_3)/\text{TREO} > 99.5\%$; $\text{P6O}_{11}/\text{TREO} 25 \pm 2\%$, $\text{Nd}_2\text{O}_3/\text{TREO} 75 \pm 2\%$ or $\text{P6O}_{11}/\text{TREO} 20 \pm 2\%$, $\text{Nd}_2\text{O}_3/\text{TREO} 80 \pm 2\%$
Yttrium-Europium Oxide	Specification: on request



DjoXkz IBC

Rare Earth Metal

Lanthanum Metal

La-Ce Metal

Praseodymium Metal

Neodymium Metal

Pr-Nd Metal

Samarium Metal

Terbium Metal

Dysprosium Metal

Yttrium Metal

Rare Earth Alloy

Gd-Fe Alloy


Dy-Fe Alloy

Ho-Fe Alloy

Nd-Fe-B Magnetic Materials

Nd-Fe-B Alloy Strip Cast

Nd-Fe-B Alloy Powder



DjoXkz IBC

DjoXkz IBC

Postbus 62
7600 AB
Almelo
The Netherlands

Contact: djoxkz.ibc@gmail.com
Chamber of Commerce: 59798068
VAT Number NL853648396.B01
D-U-N-S® Number: 68-001-7703

