

Brand Name	Generic Name	Description
Generic Viagra	Sildenafil Citrate	<b>Sildenafil Citrate Tablets</b> are used to treat Erectile Dysfunction (ED) in men and pulmonary arterial hypertension (PAH). Discovered and manufactured by the pharmaceutical company Pfizer under the brand name Viagra, this unanticipated turn of events obviously had an impact on the marketing side of their product.
Generic Cialis	Tadalafil Tab	TADALAFIL (Cialis) is used to treat erectile dysfunction (ED) in men. Tadalafil does not cure ED or increase a man's sexual desire. Tadalafil is only for men with ED and is not for women or children. Tadalafil should only be used under a healthcare provider's care. Generic tadalafil is not yet available.
Generic Levitra	Vardenafil Tab	Vardenafil for harder, longer lasting erections. One of the latest treatments for Erectile Dysfunction, Snovitra acts in the same way as Viagra by blocking an enzyme called PDE-5. Clinical studies show that Snovitra works faster and has fewer side effects than Viagra.
Kamagra Tablets	Sildenafil Citrate Tabs	Sildenafil Citrate is the generic name for Kamagra pronounced as sill-DEN-uh-fil citrate. The generic name represents the medications nonproprietary or chemical name, whereas, the brand name is the name a pharmaceutical give to a medication for marketing purposes.
Kamagra Soft Tabs	Sildenafil Citrate Soft Tabs	Kamagra is a significant oral medication for the treatment of Erectile Dysfunction (ED). The medicine was originally developed as a cardiovascular medicine designed to improve blood flow in the vessels of the heart. However, during initial studies the medication was found to have a profound side effect: individuals began to report a remarkable difference in their ability to achieve and maintain an erection.
Kamagra Jelly	Sildenafil Citrate Jelly	Kamagra increases blood flow to the penis, allowing more blood flow into the penis, like happened naturally, when a man is sexually stimulated. With more blood flowing in and less flowing out, the arteries in the penis enlarge, resulting in an erection.
Apcalis Jelly	Tadalafil Jelly	Apcalis Jelly is mainly used to get and sustain an erection in cases of erectile dysfunction or in case of impotency. Apcalis Jelly (Tadalafil Jelly) is used for treating erectile dysfunction. Apcalis oral jelly is the world's first Tadalafil jelly. Apcalis oral jelly easily dissolves in mouth because of its liquid form and starts acting quickly compared to regular tablets.

Female Viagra  
Lovegra

Sildenafil Citrate

Lovegra® is scientifically formulated to provide intense sexual satisfaction for women seeking ultimate pleasure. Lovegra® works by increasing genital blood flow and vaginal compliance resulting in intensified pleasure during sexual activity. Lovegra®, the distinctive 'pink-pill' is available for single women and couples in convenient low-cost tablet form.

Retino Cream

Tretinoin

Retino-A Cream is a vitamin A derivative. How it exerts its beneficial effects against acne is not fully known. Tretinoin appears to increase skin-cell turnover and to reduce the tendency for skin cells to stick together. This reduces the formation of acne and allows quicker healing of acne that does develop.

Generic Propecia -  
Finpecia

Finasteride

Finpecia is made in India. Even though it contains the exact same chemical as Propecia (1mg of finasteride), its cost is significantly less than that of Propecia. Cipla is allowed by Indian patent law to make drugs that are patented by other companies internationally as the law protects only the processes by which drugs are made, and not the drugs themselves.

Bimatoprost

Bimatoprost

**Bimatoprost** is medicine for eyes. It treats various eye problems and is very effective. Glaucoma is one of the eye diseases bimatoprost treats. This disease can happen to anyone but mainly is seen in older people. It causes high pressure on eyes and leads to severe pain due to pressure. Even it can impair your vision. **Bimatoprost** cures glaucoma by saving eyes by restoring vision and by reducing pressure on eyes, which is very harmful. Also, it lessens pain.

Acomplia

Rimonabant

Rimonabant is used in the treatment of obesity and related conditions.

Aciphex

Rabeprezole

Rabeprazole is used for treating heartburn or irritation of the esophagus caused by gastroesophageal reflux disease (GERD). It may be used for short-term treatment of ulcers of the small intestine.

Allegra

Fexofenadine

Fexofenadine is used for treating seasonal allergy symptoms such as sneezing, runny nose, itchy throat, or itchy, watery eyes. It is also used to treat hives and skin itching.

Amoxil

Amoxycillin

Amoxycillin is used for treating infections caused by certain bacteria. It is also used with other medicines to treat H. pylori infection and ulcers of the small intestines.

Ampicillin

Ampicillin

Ampicillin is used to treat many different types of infections caused by bacteria, such as ear infections, bladder infections, pneumonia, gonorrhea, and E. coli or salmonella infection.

Atenolol	Atenolol	Atenolol is used for decreasing death due to heart problems after a heart attack. It may also be used for other conditions as determined by your doctor.
Augmentin	Amoxicillin + Clavulanate acid	Augmentin is used in the treatment of lower respiratory, middle ear, sinus, skin, and urinary tract infections that are caused by certain specific bacteria.
Avandia	Rosiglitazone	Rosiglitazone is an oral diabetes medicine that helps control blood sugar levels. It is for people with type 2 (non-insulin-dependent) diabetes.
Bactrim	Trimethoprim / Sulfam	Bactrim, an antibacterial combination drug, is prescribed for the treatment of certain urinary tract infections, severe middle ear infections in children, long-lasting or frequently recurring bronchitis in adults.
Biaxin	Clarithromycin	Clarithromycin is used to treat many different types of bacterial infections affecting the skin and respiratory system. It is also used together with other medicines to treat stomach ulcers.
Calan	Verapamil	Verapamil is used for treating supraventricular tachycardia, a rhythm disturbance of the heart. It is also used for controlling heart rate response to other rhythm disturbances, specifically atrial fibrillation and atrial flutter.
Celexa	Citalopram	Citalopram is used for treating depression. It may also be used for other conditions as determined by your doctor.
Carvedilol	Carvedilol	Carvedilol is used for treating high blood pressure or certain types of heart failure. It may also be used after a heart attack to improve survival in certain patients.
Celebrex	Celecoxib	Celecoxib is used for treating rheumatoid arthritis, osteoarthritis, ankylosing spondylitis, juvenile arthritis, menstrual pain, or pain. It is used in familial adenomatous polyposis (FAP).
Cipro	Ciprofloxacin	Ciprofloxacin is used to treat different types of bacterial infections. It may also be used to prevent or slow anthrax after exposure.
Cozaar	Losartan Potassium	Cozaar is used for treating high blood pressure. It is also used to reduce the risk of stroke in certain patients with high blood pressure and for treating kidney disease in certain patients with type 2 diabetes.

Diflucan	Fluconazole	Fluconazole is an antifungal antibiotic. It is used to treat infections caused by fungus, which can invade any part of the body including the mouth, throat, esophagus, lungs, bladder, genital area, and the blood.
Effexor	Venlafaxine	Venlafaxine is an antidepressant in a group of drugs called selective serotonin and norepinephrine reuptake inhibitors (SSNRIs).
Elecon	Mometasone	Mometasone is used for treating itching, redness, and swelling of many skin conditions.
Erythromycin	Erythromycin Estolate	Erythromycin is used for treating infections caused by certain bacteria. It is also used to prevent bacterial endocarditis and attacks of rheumatic fever.
Fosamax	Alendronate Sodium	Fosamax is prescribed for the prevention and treatment of osteoporosis, the brittle bone disease.
Glucophage	Metformin	Metformin is an oral diabetes medicine that helps control blood sugar levels. It is for people with type 2 (non-insulin-dependent) diabetes.
Glucotrol	Glipizide	Glipizide is used for treating type 2 diabetes in patients who cannot control blood sugar levels by diet and exercise alone. It is used along with diet and exercise.
Imitrex	Sumatriptan	Sumatriptan is a headache medicine. It also reduces substances in the body that can trigger headache pain, nausea, sensitivity to light and sound, and other migraine symptoms.
Inderal	Propranolol	Propranolol is used for treating high blood pressure or atrial fibrillation. It also is used to decrease the risk of heart death in certain patients who have survived a heart attack
Keflex	Cephalexin	Cephalexin is prescribed for bacterial infections of the respiratory tract, the middle ear, the bones, the skin, and the reproductive and urinary systems.
Lamisil	Terbinafine	Terbinafine is an antifungal antibiotic. It is used to treat infections caused by fungus that affect the fingernails or toenails.
Lasix	Furosemide	Furosemide is used for treating high blood pressure or water retention (swelling) associated with congestive heart failure, liver disease, or kidney disease.

Levaquin	Levofloxacin	Levofloxacin is used to treat bacterial infections that cause bronchitis, pneumonia, chlamydia, gonorrhea, skin infections, urinary tract infections, etc.
Lipitor	Atorvastatin	Atorvastatin is used for lowering high cholesterol and triglycerides in certain patients. It also increases high-density lipoprotein (HDL, "good") cholesterol levels. It is used in certain patients to reduce the risk of heart attack.
Mobic	Meloxicam	Meloxicam is used for treating rheumatoid arthritis, osteoarthritis, and juvenile arthritis.
Motrin	Ibuprofen	Ibuprofen is used for treating minor aches and pains caused by the common cold, headaches, toothaches, back or muscle aches, menstrual cramps, or arthritis. It may be used to reduce fever.
Naprosyn	Naproxen	Naproxen is used for temporary relief of minor aches and pains. These may include arthritis, muscle aches, backache, menstrual cramps, headache, toothache, and those due to a cold. It is also used to reduce fever.
Neurontin	Gabapentin	Gabapentin is used for treating seizures associated with epilepsy. It may also be used for treating nerve pain associated with herpes zoster (shingles) infection (postherpetic neuralgia).
Nexium	Esomeprazole	Esomeprazole is used for treating gastroesophageal reflux disease (GERD) in patients with a history of irritation and swelling of the esophagus when medicine cannot be taken by mouth.
Nolvadex	Tamoxifen	Tamoxifen is used for treating breast cancer that has spread to other sites in the body. It is also used along with other medicines to treat other types of breast cancer.
Norvasc	Amlodipine Besylate	Amlodipine Besylate is used for treating high blood pressure and angina (chest pain). It may be used alone or with other medicines.
Paxil	Paroxetine	Paroxetine is used for treating depression or obsessive-compulsive disorder (OCD). It may be used to treat panic disorder or posttraumatic stress disorder (PTSD).
Pepcid	Famotidine	Famotidine is used for treating and preventing ulcers; treating and preventing heartburn associated with acid indigestion and sour stomach.

Pravachol	Pravastatin	Pravastatin is used for lowering high cholesterol and triglycerides in certain patients. It also increases high-density lipoprotein (HDL, "good") cholesterol levels. It is used along with an appropriate diet.
Prednisolone	Prednisolone	Prednisolone is used for treating allergies, arthritis, breathing problems (eg, asthma), certain blood disorders, collagen diseases, certain eye diseases, cancer (eg, leukemia), endocrine problems, intestinal problems.
Premarin	Conjugated Estrogens	Conjugated Estrogens is used for treating certain symptoms of menopause (eg, hot flashes, vaginal dryness or itching). It is used to prevent osteoporosis (weak bones) after menopause in certain patients.
Prevacid	Lansoprazole	Lansoprazole is used to treat certain conditions in which there is too much acid in the stomach. It is also used in the condition in which the acid in the stomach washes back up into the esophagus.
Prilosec	Omeprazole	Omeprazole is used for treating heartburn or irritation of the esophagus caused by gastroesophageal reflux disease (GERD). It may be used for short-term treatment of ulcers of the stomach or small intestines.
Protonix	Pantoprazole	Pantoprazole is used for short-term treatment (7 to 10 days) of patients with gastroesophageal reflux disease (GERD) who have a history of irritation of the esophagus.
Prozac	Fluoxetine	Fluoxetine is used for treating depression or obsessive-compulsive disorder (OCD) in adults and children. It is used to treat bulimia nervosa and panic disorder in adults.
Risperdal	Risperidone	Risperidone is an antipsychotic medication. It works by changing the effects of chemicals in the brain. It is used to treat schizophrenia and symptoms of bipolar disorder (manic depression).
Singulair	Montelukast	Montelukast is used for prevention and long-term treatment of asthma. It is also used in certain patients to relieve runny nose caused by allergy and to prevent asthma attacks caused by exercise.
Soma	Carisoprodol	Carisoprodol is used for treating discomfort associated with certain painful muscle conditions. It is usually used along with rest and physical therapy.

Valtrex	Valacyclovir	Valacyclovir is used for treating shingles (herpes zoster), cold sores (fever blisters or herpes labialis), and treating or suppressing genital herpes in patients with normal immune systems.
Voltaren	Diclofenac Sodium	Diclofenac Sodium are nonsteroidal anti-inflammatory drugs used to relieve the inflammation, swelling, stiffness, and joint pain associated with rheumatoid arthritis, osteoarthritis, and ankylosing spondylitis.
Zantac	Ranitidine	Ranitidine is used for treating certain conditions that cause your body to make too much stomach acid (eg, Zollinger-Ellison syndrome) and ulcers of the small intestine that have not responded to other treatment.
Zithromax	Azithromycin	Azithromycin is used to treat certain mild to moderate skin infections; upper and lower respiratory tract infections, including pharyngitis, tonsillitis, sinus infections, etc..
Zocor	Simvastatin	Simvastatin is a cholesterol-lowering medication that blocks the production of cholesterol (a type of fat) in the body.
Zoloft	Sertaline	Sertraline is used for treating depression or obsessive-compulsive disorder (OCD) and to treat premenstrual dysphoric disorder (PMDD; a severe form of premenstrual syndrome) or social anxiety disorder.
Zovirax	Acyclovir	Acyclovir is an antiviral drug. It slows the growth and spread of the herpes virus so that the body can fight off the infection. Also used to treat shingles and chickenpox.
Zyban	Bupropion HCl	Bupropion HCl is an antidepressant medicine that has been found to aid in the stopping of smoking. It is used to help people stop smoking by reducing cravings and other withdrawal effects.
Zyloprim	Allopurinol	Allopurinol is used in the treatment of many symptoms of gout, including acute attacks, tophi (collection of uric acid crystals in the tissues, especially around joints), joint destruction, and uric acid stones.
Zyrtec	Cetirizine	Cetirizine is used for preventing or treating symptoms of hay fever and other upper respiratory allergies such as stuffy nose, runny nose, sneezing, itching of the nose and throat, and itchy, watery eyes.