




陕西荣源实业发展有限公司  
Shaanxi Rongyuan Industrial Development Co.,Ltd.



### Shaanxi Rongyuan Industrial Development Co.,Ltd.

is specially dealing in producing titanium and titanium alloy products, our factory is located in Baoji-the Chinese Titanium city, approval ISO9001:2008 quality system certificate.

Our strong items are such as titanium bar, titanium wires, but we also can supply titanium standard parts, titanium tube/pipe, titanium flange, titanium ring, titanium plate, Etc. (we supply the raw materials for other factory processing)

## Product List

Titanium Bars, Quare Bars	Titanium Tubes & Pipes	Titanium Ingot
Grade: Gr1, Gr2, Gr3, Gr4, Gr5, Gr7, Gr9, Gr11, Gr12 Standard: ASTM F163, ASTM B381 ASTM B348, GB/T16598 Dimension: Dia 5mm~300mm Length 3660mm Max.	Grade: Gr1, Gr2, Gr3, Gr7, Gr9, Gr11 Gr12, Gr16, Gr17 Standard: ASTM B337, ASME SB861 ASME SB337 ASTM B861 Dimension: Outer Dia 3mm~10mm Thickness 0.4mm~7mm	Grade: Gr1, Gr2, Gr3, Gr4, Gr5, Gr7, Gr9, Gr12 Standard: ASTM B265, ASTM B348 ASTM F67 Dimension: Dia 460mm, 480mm 560mm,650mm Length:2000mm
 <p>M.O. Q:100KGS</p>	 <p>M.O. Q:100KGS</p>	 <p>RONGYUAN</p>

## Product List

Titanium Wire/Rod	Titanium Plates & Sheets	Titanium Rings
Grade: Gr1, Gr2, Gr3, Gr4, Gr5, Gr7, Gr11, Gr12 Standard: AWS. A5.16, ISO5832 ASTM B348, AMS Dimension: Dia 0.1mm~6.0mm Spool or Fixed length.	Grade: Gr1, Gr2, Gr3, Gr4, Gr5, Gr7, Gr12, Gr23 Standard: ASTM B265, AMS4911 MIL-T-9046 Dimension: Thickness 0.8mm~50.8mm Width 1050mm Max Length 3000mm Max	Grade: Gr1, Gr2, Gr3, Gr4, Gr5, Gr7, Gr12, Gr23 Standard: ASTM B381, ASTM B348 ASME SB348, AMS4928 Dimension: Outer Dia 50mm~3000mm Inside Dia 30mm~2900mm Wall thickness 10mm~600mm
 <p>M.O. Q:50KGS</p>	 <p>M.O. Q:100KGS</p>	



## Product List

Titanium Flange	Titanium Standard Parts	Titanium Ball for body piercing
<p>Grade: Gr1, Gr2, Gr3, Gr4, Gr5, Standard: ASTM B381, ASTM B348, ASME SB348, ASTM F136, AMS4928</p> <p><b>Being supplied according to the Customer's Design or sample</b></p>	<p>Washer: M2-M4 Screw: M4-M35 Bolt: Dia M2-M4 X 6mm-100mm Thread Rod: M5-m24 x 10mm-300mm</p> <p><b>Being supplied according to the Customer's Design or sample</b></p>	<p>Grade: Gr5 (6Al4V-Eli), Gr2 Standard: ASTM F67 ASTM F136 Size: 3mm, 4mm, 5mm, 6mm, 8mm, 10mm</p>
		