





## Table of Contents

Company introduction .....	3
Our major products & Our advantages .....	4
Hot-Dipped Galvanized Steel Coil .....	5
Hot-Dipped Galvalume Steel Coil .....	6
Prepainted Galvanized/Galvalume Steel Coil .....	7
Packing Materials, Transport & Environment Policy .....	8
Technique Support & Quality Control .....	9
Customer Distribution .....	10



## Jiangsu Changsong Group Changzhou Simpson Steel Co.,Ltd.

Add: No.66-16 Xingang Road, Zhonglou District, Changzhou, Jiangsu, China

Tel: +86-519-83908188

Fax: +86-519-86850970

E-mail: [sales@ausimpson.com](mailto:sales@ausimpson.com)

[www.ausimpson.com](http://www.ausimpson.com)



Changzhou Simpson Steel Co., Ltd. is the subsidiary company of Jiangsu Changsong Group. Specialized in developing & manufacturing new metal materials, we mainly produce high-quality GI, GL, PPGI, PPGL, PCM, VCM, BCM which can be widely used in construction, solar energy, appliances, furnitures, cars, clean anti-static fields and so on.

Always believe in "Quality and Credibility Come First" , we established good relationship with customers worldwide such as South East Asia, Middle East, South America, Africa, Europe, etc. Welcome every cooperative opportunity with you. Welcome to talk to us and to visit us. You'll see what we've done, what we're doing and what we can do for you.

Changzhou Simpson Steel Co.,Ltd.

Tel: +86-519-83908188 Fax: +86-519-86850970 E-mail: [sales@ausimpson.com](mailto:sales@ausimpson.com)



## Our major products

- Hot-Dipped Galvanized Steel Coil
- Hot-Dipped Galvalume Steel Coil
- Prepainted Galvanized/ Galvalume Steel Coil

## Our advantages



- **Huge output**  
We have 6 production lines. The output is about 500,000MT/year, means about 1,500MT/day.
- **Short delivery time**  
For 1000 tons order, it takes less than 15 days to finish.  
For 5000 tons order, it takes less than 30 days to finish.
- **Competitive price**  
We insist on reasonable price and keep longer price validity.
- **High & stable quality**  
We choose better materials and use better machines. During all procedures we keep strict quality control.
- **Strict Quality Control**  
From choosing materials to producing procedure till packing then load goods, there are QC who make strict control to ensure best quality.
- **Multiple specifications**  
Thickness comes from 0.17mm to 1.0mm while max width can be 1250mm.
- **R & D**  
We research and develop new products from time to time meanwhile we take OEM orders.
- **Good reputation**  
Always believe in "Quality and Credibility Come First" ,we enjoy good reputation both at home and abroad.

Changzhou Simpson Steel Co.,Ltd.

Tel: +86-519-83908188 Fax: +86-519-86850970 E-mail: [sales@ausimpson.com](mailto:sales@ausimpson.com)



## Hot-Dipped Galvanized Steel Coil



### ● Product Description

- Steel grade : SGCC or DX51D
- Standard: JIS, ASTM, EN, GB
- Thickness : 0.17mm-1.25mm
- Thickness tolerance : +/-0.03mm
- Width : 1000 mm,1200mm,1250mm  
The special width 914mm,1219mm,1220mm will be available
- Width tolerance : +/-0.15mm
- Coating thickness : 50GSM-225GSM
- Surface treatment : Chromated(passivated), oiled, Anti- fingerprint (AFP)
- Surface finish : Regular spangle, minimized spangle, zero spangle
- Inside diameters : 508 mm
- Outside diameter : according to the weight of coil
- Weight/coil : 3-8 tons
- Packing condition : seaworthy
- Productivity : 500,000 tons/year

### ● Product Applications

- **Buildings and Construction**  
Floor Decks, Ceilings, Duct Work, Roofing, Siding, Sashes, Beams, Fences, Verandas, Shutters, Awnings, Partitions, Indoor Decorations, Pipes, Ventilators, Sheds, Culverts.
- **Transportation**  
Body Pane, Air Cleaners, Oil Filters, Fuel Tanks, Containers, Highway Barriers.
- **Appliances**  
Light Fittings, Washing Machines, Dryers, Coolers, Vending Machines, Water Heaters, Stoves, Refrigerators, Freezers, Tool Boxes.
- **Agriculture**  
Barns, Dryer Panels, Animal Houses, Hoppers, Bar Supporters, Irrigation Systems, Green houses.
- **Others**  
Furniture and Office Equipment, Entertainment Machines, Car Ports, Garden and Storage Sheds

Changzhou Simpson Steel Co.,Ltd.

Tel: +86-519-83908188 Fax: +86-519-86850970 E-mail: [sales@ausimpson.com](mailto:sales@ausimpson.com)



## Hot-Dipped Galvalume Steel Coil



### ● Product Description

- Steel grade : SGCC or DX51D
- Standard: JIS, ASTM, EN, GB
- Thickness : 0.18mm-1.25mm
- Width : 1000 mm,1200mm,1250mm

The special width 914mm,1219mm,1220mm will be available

- Coating thickness : 30GSM-100GSM
- Surface treatment : Chromated(passivated), oiled, Anti-fingerprint (AFP)
- Surface finish : Regular spangle, minimized spangle, zero spangle
- Inside diameters :508 mm
- Outside diameter : according to the weight of coil
- Weight/coil :3-8 tons
- Packing condition :seaworthy
- Productivity : 500,000 tons/year

### ● Product Applications

#### • Buildings and Construction

Floor Decks, Ceilings, Duct Work, Roofing, Siding, Sashes, Beams, Fences, Verandas, Shutters, Awnings, Partitions, Indoor Decorations, Pipes, Ventilators, Sheds, Culverts.

#### • Transportation

Body Pane, Air Cleaners, Oil Filters, Fuel Tanks, Containers, Highway Barriers.

#### • Appliances

Light Fittings, Washing Machines, Dryers, Coolers, Vending Machines, Water Heaters, Stoves, Refrigerators, Freezers, Tool Boxes.

#### • Agriculture



Barns, Dryer Panels, Animal Houses, Hoppers, Bar Supporters, Irrigation Systems, Green houses.

#### • Others

Furniture and Office Equipment, Entertainment Machines, Car Ports, Garden and Storage Sheds



## Prepainted Galvanized/Glavalume Steel Coil



### ● Product Description

- Steel grade : SGCC or DX51D
- Standard: JIS, ASTM, EN, GB
- Thickness : 0.18mm-1.25mm
- Width : 1000 mm,1200mm,1250mm

The special width 914mm,1219mm,1220mm will be available

- Coating thickness : 50GSM-225GSM
- Surface treatment : Chromated
- Surface finished color : According to RAL
- Inside diameters :508 mm
- Outside diameter : according to the weight of coil
- Weight/coil :3-8 tons
- Packing condition :seaworthy
- Productivity : 500,000 tons/year

### ● Product Applications

#### • Buildings and Construction

Outside : workshop, agriculture warehouse, residential precast unit, corrugated roof, wall, rainwater drainage pipe, terrace, retailer booth, roller shutter door

Inside : door, doorcase, light steel roof structure, folding screen, ceiling, elevator, stairway, vent gutter

#### • Transportation

Inside decoration of auto and train, clapboard, container, isolation lairage, isolation board

#### • Electrical appliance

Refrigerator, washing machine, switch cabinet, instrument cabinet, air-conditioning, micro-wave oven, bread maker

#### • Furniture

Central heating slice, lampshade, garderobe, desk, bed, bookshelf, locker

#### • Others

Writing panel, garbage can, billboard, timekeeper, typewriter, instrument panel, weight sensor, photograph equipment



## Packing Materials



## Product Transport



## Environment Policy

Based on earth protecting and sustainable development, we continually pay heavy attention to enhancing energy and resource efficiency. Already passed ISO14001 certificate and kept observing RoHS, we try to reduce pollution as much as we can.







## Technique Support



## Quality Control

Caring every step in manufacturing to make sure high and stable quality, we already passed ISO9001 and ISO/TS16949.





## Customer Distribution



SAMSUNG

South Korea



LG

South Korea



Haier

China



Whistler Steel

Philippines

Reliability, consistency and superb quality have always been our major focus. In line with our business philosophy, we treasure the working relationships with all our customers with an aim to achieve mutual benefits. Through our continual effort, we established good relationship with customers worldwide such as South East Asia, Middle East, South America, Africa, Europe, etc.

Welcome every cooperative opportunity with our potential business associates. Welcome to talk to us and to visit us. You'll see what we've done, what we're doing and what we can do for you.

Changzhou Simpson Steel Co.,Ltd.

Tel: +86-519-83908188 Fax: +86-519-86850970 E-mail: [sales@ausimpson.com](mailto:sales@ausimpson.com)