



ZHENGZHOU JY IRON AND STEEL CO.,LTD
T: +86-371- 69091911 F: +86-371-69092121

ZhengZhou JY Iron & Steel Co., Ltd.

**Address: 2202 RM, 22Th floor, District A-41 Commercial Inner Road, CBD
Zhengzhou city of Henan province, in China**

T: +86-371-69091911 F:+86-371-69092121 Mobile: +86-13298340495 Johnny

Skype:luckyonejohnny

ICQ : 644013494

MSN:cuidongxuone@hotmail.com

Yahoo :Johnnycui@ymail.com

Gmail:luckyone1102@gmail.com

AOL :luckyonejohnny@aol.com

Carbon Structural Steel Plate

1. Grade:SS400,A36,SM400(A,B),St37-2,St37-3,SA283GrC,S235(JR,J0,J2G3,J2G4),A283(A,B,C,D),1010-1050,S10C-S55C,40(A,B,C,D,EE),Fe360(A,B,C,D),1C22,1C25,1C30,1C35,1C40,1C45,1C50,1C55,Q235-Q275,10-55,20Mn-50Mn

2. Specification:(T*L*W)8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition:TMCP,Q&T,N,AR,CR,A,Q and N&T

4. Adopting Standards:

DIN17100,ASTM,BS4360,GB3274,EN10025,ISP630,GB711,JISG3101,JISG3106,JISG4051,EN10083-2

Optimal carbon steel plate

1. Grade:1025,1040,1045,1050,1055,10#-50#,20Mn,60Mn

2. Specification:(T*L*W)8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition:TMCP,Q&T,N, AR,CR,A,Q and N&T

4. Adopting Standards:

DIN17100,BS4360,GB3274,EN10025,ISP630,GB711,JISG3101,JISG3106,JISG4051,EN10083-2,,ASTM



ZHENGZHOU JY IRON AND STEEL CO.,LTD

T: +86-371- 69091911 F: +86-371-69092121

Low Alloy high strength Steel Plate

1. Grade: A572Gr60, SM490B, St52-3, S275JR, S355JR, CortenB, SM520, SM570, 15MnV, 16Mn, NR 400ZL, S275(J0, J2, NL), S355(J0, J2, K2, NL), 12Mn, 15MnVN, 14MnNb, Q295(A, B), Q345(A, B, C, D, E), Q390(A, B, C, D, E), Q420(A, B, C, D, E), Q460(C, D, E), Q500(D, E), Q550(D, E), Q620(D, E), Q690(D, E), SM490(A, B, C), SM490Y(A, B), SM520(B, C), SM570, SS490, SS540, St44-3, St52-3, St50-2, St60-2, St70-2, StE315, StE355, StE380, StE420, StE460, StE500, A572M(Gr42, 50, 60, 65), A633M(A, C, D, E), S275(JR, J0, J2G3, J2G4), S355(JR, J0, J2G3, J2G4, K2G3, K2G4), E395, E335, E360, S275N, S275N L, S355N, S355NL, S420N, S420NL, S460N, S460NL, 50(A, B, C, D, DD, EE, F), 43(A, B, C, D, EE), 55(C, EE, F), WH60, WH410LK(BB41BF), WH490LK(BB503), E355(DD, E), E460(CC, DD, E), E420(DD, E), E460(DD, E), E550(DD, E), E690(DD, E), Fe430(A, B, C, D), Fe510(B, C, D)

2. Specification: (T*L*W) 8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition: TMCP, Q&T, N, AR, CR, A, Q and N&T

4. Adopting Standards:

JISG3106, DIN17100, DIN17102, ASTM, EN10025, EN10113, BS4360, ISO630, ISO4950-2, ISO4950-3

Quenched and Tempered High-Strength Steel Plate

1. Grade: WH70Q, WQ590D, WH80Q, Q690D, WQ690D, WQ700D, S690Q, WH100Q, WQ890D, A514GrF/Q

2. Specification: (T*L*W) 8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition: TMCP, Q&T, N, AR, CR, A, Q and N&T

4. Adopting Standards:

ISP630, JISG4051, DIN17100, BS4360, EN10025, EN10083-2, ISP630, GB711, GB3274, JISG3101, JISG3106, JISG4051, DIN17100, ASTM, BS4360, EN10025, EN10083-2



ZHENGZHOU JY IRON AND STEEL CO.,LTD

T: +86-371- 69091911 F: +86-371-69092121

Alloy Structural Steel Plate

1. Grade: 50Mn2V, 15CrMo, 20Mn2, 40Mn2, 20MnBi, 20CrMn, 30CrMo, 35CrMo, 42CrMo, 10CrMnAl, 20CrMnMo, 12CrMoVNi, 30CrMoSiA, 15CrMo, 20CrMo, 30CrMo, 35CrMo, 20Cr, 40Cr, 25CrMo4, 34CrMo4, 42CrMo4

2. Specification: (T*L*W) 8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition: TMCP, Q&T, N, AR, CR, A, Q and N&T

4. Adopting standards:

ASME, ASTM, GB3077, GB11251, EN10083-1, GB/T 3077-1988

Boiler and Pressure Vessel Steel Plate

1. Grade: AISI4140, SA285GrC, SPV355, (S)A515M(Gr.60,65,70), (S)A516M(Gr.55,60,65,70), A42, A52, A48, 19Mn6, 15Mo3, 16Mo3, P235GH, P295GH, HII/P265GH, P355(GH, NH, NL1), A537(CL1, CL2, CL3), (S)A516Gr65, (S)A515Gr65, Q245R, Q345R, Q370R 15CrMog, 12Cr1MoVg, 22Mng, 15MnVR, 15CrMoR, 13MnNiMoR, 15MnNbR, 15MnVNR, 16MnDR, 09MnNiDR, 15MnNiDR, 12Cr2Mo1R, 14Cr1MoR, 07MnCrMoVR, 07MnNiCrMoVDR, SB410, SB450, SB480, SPV235, SPV315, SPV355, SPV410, SPV450, SPV490, SGV410, SGV450, SGV480, SBV1A, SBV1B, SBV2, SBV3, SEV245, SEV295, SEV345, 13CrMo4-5, 10CrMo9-10, 11CrMo9-10, 20MnHR, 20HR, 16MnHR, 161G4301Cr0.5Mo, 2.25Cr1Mo, 1.25Cr0.5Mo, (S)A299M, (S)A204M(Gr.A, B, C), (S)A387M(Gr.11, 12, 22), P235GH, (S)A662M(Gr.A, B, C), (S)A302M(Gr.A, B, C, D), (S)A737M(Gr.B, C), (S)A738M(Gr.A, B, C), 10CrMo910, 15Mo3, 13CrMo44, 19Mn6, BHW35, 13MnNiMo54, (S)A533M(I , II), H I , H II , P265GH, P295GH

2. Specification: (T*L*W) 8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition: TMCP, Q&T, N, AR, CR, A, Q and N&T

4. Adopting standards:

GB/T713, ASTMGB713, JISG3103, JISG3115, JISG3118, JISG3119, JISG3124, GB6645, GB3531, DIN17155, ASTM, ASME, EN10028-2, EN10028-2, NFA36-205, BS1501



ZHENGZHOU JY IRON AND STEEL CO.,LTD

T: +86-371- 69091911 F: +86-371-69092121

Corrosion-resistant Steel Plate

1. Grade: WR50C, Q345R(HIC), 16MnR(HIC), 16MnCu, St37-3Cu3, A242MCL. 10CrMoAL, 16CuCr, 15MnCuCr, 08Cu, A588M(A, B, C, K), 2Cor-TenB, 12MnCuCr, 12MnCuCr-QT, SMA400(AW, BW, CW), SMA400(AP, BP, CP) SMA490(AW, BW, CW), SMA490(AP, BP, CP), SMA570W, SMA570P, Fe235W, Fe355W, WR50B

2. Specification: (T*L*W) 8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition: TMCP, Q&T, N, AR, CR, A, Q and N&T

4. Adopting standards:

DIN17100, ASTM, GB4172, GB4171, JISG3114, ISO4952, BS4360.

Bridge Steel Plate

1. Grade: Q235qC, Q345qC(16Mnq), Q370qC, Q420qC, 14MnVbq, 16q, 16Mnq, 16MnCuq, 15MnVq, 15MnVNq, 14MnNbq, A709M(Gr36, 50, 50W, 70W)

2. Specification: (T*L*W) 8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition: TMCP, Q&T, N, AR, CR, A, Q and N&T

4. Adopting standards:

YB168, YB(T)10, GB/T714, ASTM

high-rise building Steel Plate

1. Grade: Q235GJC, Q345GJC, Q390GJC, Q420GJC, Q460GJC, GC-400, GC-490, SN400(A, B, C), SN490(B, C), 275(D, E, EZ), 355(D, E, EM), 355EMZ, 450(EM, EMZ)

2. Specification: (T*L*W) 8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition: TMCP, Q&T, N, AR, CR, A, Q and N&T

4. Adopting standards:

ASTM, YB4104, JIS G3136, BS7191



ZHENGZHOU JY IRON AND STEEL CO.,LTD

T: +86-371- 69091911 F: +86-371-69092121

Shipbuilding and oil platform Steel Plate

1. Grade:A,B,D,E,AH32,AH36,AH40,DH32,DH36,DH40,EH32,EH36,EH40,FH36,FH32,FH40, API,SPEC,2HGr42,2HGr50,A514Gr(F,Q)

2. Specification:(T*L*W)8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition:TMCP,Q&T,N,AR,CR,A,Q and N&T

4. Adopting standards:

CCS,DNV,GL,LR,BV,KR,ABS,API,RINA,NK,ASTM,GB5313

Composite Steel Plate

1. Grade:TU1/20g,Cr13Ni5Mo/Q235A,0Cr13Ni5Mo/16Mn

2. Specification:(T*L*W)8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition:TMCP,Q&T,N,AR,CR,A,Q and N&T

4. Adopting standards:

GB13238,GB8165,ASTM,A770

High Strength and High Toughness Steel Plate

1. Grade:GS80,28Cr2Mo,26SiMnMo,30GrMnMoRE(603),30GrNi3MoV(675)

2. Specification:(T*L*W)8-650mm*3000-27000mm*1500-4020mm

3. Delivery Condition:TMCP,Q&T,N,AR,CR,A,Q and N&T

4. Adopting standards:

JISG3106,JISG4051,DIN17100,BS4360,EN10025,EN10083-2,ISP630,JISG3101GB3274,GB711, JISG3101,JISG3106,JISG4051,DIN17100,ASTM,BS4360,EN10025,EN10083-2,ISP630,GB3274, GB711



ZHENGZHOU JY IRON AND STEEL CO.,LTD
T: +86-371- 69091911 F: +86-371-69092121

Oil and Gas Pipeline Steel Plate

1. Grade:X42(L290),X46(L320),X52(L360),X56(L390),X60,X65,X70,X80,X100,X120

2. Specification:(T*L*W)8-650mm*3000-27000mm*1500-4020mm

3.Delivery Condition:TMCP,Q&T,N,AR,CR,A,Q and N&T

4. Adopting standards:

APL,5L,API

Abrasion- resistant Steel Plate

1.Grade:WDB620,XAR300,XAR400,XAR450,XAR500,XAR600,FORA400,FORA500,CREUSABRO4800,CREUSABRO8000,RAEX400,DILLIDUR(400V,500V).Durostat400,Durostat500,HARDOX450A,HARDOX500A,NR360A,NR400A

2. Specification:(T*L*W)8-650mm*3000-27000mm*1500-4020mm

3.Delivery Condition:TMCP,Q&T,N, AR,CR,A,Q and N&T

4. Adopting standards:

JISG4051,GB711,YB/T107,JB4730,GB72790,A435,A578,,JISG0801,JISG0901,SEL072,NFA04305,GB/T6402

Die and Mould Steel Plate

1.Grade:P20,P80A,718B,638B,2378,S45C-S55C,40Cr,45-55,50Mn,SM45-SM55,SM3Cr2Mo,W SM136A,WSM30A,SM3Cr2Ni1Mo,P30A,6388,2311,718.

2. Specification:(T*L*W)8-650mm*3000-27000mm*1500-4020mm

3.Delivery Condition:TMCP,Q&T,N,AR,CR,A,Q and N&T

4.Adopting standards:

A681,JISG4051,GB711,YB/T107,ASTM,ASME



ZHENGZHOU JY IRON AND STEEL CO.,LTD

T: +86-371- 69091911 F: +86-371-69092121

SUPPLEMENTARY REQUIREMENTS

- S1. Vacuum Treatment,**
- S2. Product Analysis,**
- S3. Simulated Post-Weld Heat Treatment of Mechanical Test Coupons,**
- S4. Additional Tension Test,**
- S5. Charpy V-Notch Impact Test,**
- S6. Drop Weight Test,**
- S7. High-Temperature Tension Test,**
- S8. Ultrasonic Examination in accordance with Specification A 435/A 435M,**
- S9. Magnetic Particle Examination,**
- S11. Ultrasonic Examination in accordance with Specification A 577/A 577M,**
- S12. Ultrasonic Examination in accordance with Specification A 578/A 578M.**

Process

EAF+LF+VD+Forged+Heat Treatment(optional)

Services:

Pretreatment(derusting,lacquering,Painting,Sand clusting)

test UT,HIC,Impact test,PWHT Z15,Z25,Z35 etc)

Cutting,Welding,Painting,Flaw-Detection(Grade1,Grade2)

<http://cuijohnny.en.ec21.com>

<http://jingyingsteelplate.en.ecplaza.net>

<http://johnnycui.en.busytrade.com>

<http://itrademarket.com/jingyingironandsteel>

<http://www.steelads.com/view/companies/186/Zhengzhou-Jingying-Iron-And-Steel-Co-Ltd.html>

<http://johnnycui.tradesns.com/>