

TIELING BAOTIE SEAMLESS PIPE FACTORY
SHENYANG QFTH STEEL CO.,LTD
TIELING LIUS IMPORT AND EXPORT CO.,LTD

NO.419/458/459 EASTERN WING, 34 BEIYIXI ROAD, TIEXI DIST. SHENYANG, CHINA

TEL.: 0086-410-8869197 0086-24-25545882 FAX: 0086-24-25545883

Mobile:0086-13032480863

Email: jwhqccy@126.com / emmaccf@hotmail.com

Standar and Steel Grade	OD (mm)	WT (mm)	Length (m)
ASTM A 106 GR.B	219.10	7.80	11.47
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.26
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.33
ASTM A 106 GR.B	219.10	7.80	11.62
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.84
ASTM A 106 GR.B	219.10	7.80	11.51
ASTM A 106 GR.B	219.10	7.80	11.81
ASTM A 106 GR.B	219.10	7.80	11.57
ASTM A 106 GR.B	219.10	7.80	11.39
ASTM A 106 GR.B	219.10	7.80	11.29
ASTM A 106 GR.B	219.10	7.80	11.16
ASTM A 106 GR.B	219.10	7.80	11.32
ASTM A 106 GR.B	219.10	7.80	11.47
ASTM A 106 GR.B	219.10	7.80	11.47
ASTM A 106 GR.B	219.10	7.80	11.81
ASTM A 106 GR.B	219.10	7.80	11.76
ASTM A 106 GR.B	219.10	7.80	11.60
ASTM A 106 GR.B	219.10	7.80	11.51
ASTM A 106 GR.B	219.10	7.80	11.68
ASTM A 106 GR.B	219.10	7.80	11.59
ASTM A 106 GR.B	219.10	7.80	11.45
ASTM A 106 GR.B	219.10	7.80	11.25
ASTM A 106 GR.B	219.10	7.80	11.57
ASTM A 106 GR.B	219.10	7.80	11.51
ASTM A 106 GR.B	219.10	7.80	11.95
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.73
ASTM A 106 GR.B	219.10	7.80	11.66
ASTM A 106 GR.B	219.10	7.80	11.60
ASTM A 106 GR.B	219.10	7.80	11.41
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.12
ASTM A 106 GR.B	219.10	7.80	11.45
ASTM A 106 GR.B	219.10	7.80	11.40
ASTM A 106 GR.B	219.10	7.80	11.51
ASTM A 106 GR.B	219.10	7.80	11.45
ASTM A 106 GR.B	219.10	7.80	11.45
ASTM A 106 GR.B	219.10	7.80	11.71
ASTM A 106 GR.B	219.10	7.80	11.45
ASTM A 106 GR.B	219.10	7.80	11.11
ASTM A 106 GR.B	219.10	7.80	11.43
ASTM A 106 GR.B	219.10	7.80	10.88
ASTM A 106 GR.B	219.10	7.80	11.47
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.48
ASTM A 106 GR.B	219.10	7.80	11.47
ASTM A 106 GR.B	219.10	7.80	11.47

ASTM A 106 GR.B	273.00	9.27	6.00
ASTM A 106 GR.B	273.00	9.27	6.74
ASTM A 106 GR.B	273.00	9.27	6.61
ASTM A 106 GR.B	273.00	9.27	6.75
ASTM A 106 GR.B	273.00	9.27	6.78
ASTM A 106 GR.B	273.00	9.27	6.69
ASTM A 106 GR.B	273.00	9.27	6.61
ASTM A 106 GR.B	273.00	9.27	6.76
ASTM A 106 GR.B	273.00	9.27	6.73
ASTM A 106 GR.B	273.00	9.27	6.66
ASTM A 106 GR.B	273.00	9.27	6.81
ASTM A 106 GR.B	273.00	9.27	6.85
ASTM A 106 GR.B	273.00	9.27	11.57
ASTM A 106 GR.B	273.00	9.27	11.50
ASTM A 106 GR.B	273.00	9.27	11.60
ASTM A 106 GR.B	273.00	21.44	8.19
ASTM A 106 GR.B	273.00	21.44	8.73
ASTM A 106 GR.B	273.00	21.44	8.42
ASTM A 106 GR.B	273.00	21.44	7.87
ASTM A 106 GR.B	273.00	21.44	8.52
ASTM A 106 GR.B	273.00	21.44	7.68
ASTM A 106 GR.B	273.00	21.44	8.68
ASTM A 106 GR.B	273.00	21.44	8.08
ASTM A 106 GR.B	273.00	21.44	8.32
ASTM A 106 GR.B	273.00	21.44	8.08
ASTM A 106 GR.B	273.00	21.44	7.98
ASTM A 106 GR.B	273.00	21.44	8.40
ASTM A 106 GR.B	273.00	21.44	8.40
ASTM A 106 GR.B	273.00	21.44	8.62
ASTM A 106 GR.B	273.00	21.44	8.75
ASTM A 106 GR.B	273.00	21.44	8.78
ASTM A 106 GR.B	273.00	21.44	8.91
ASTM A 106 GR.B	273.00	21.44	8.77
ASTM A 106 GR.B	273.00	21.44	8.81
ASTM A 106 GR.B	273.00	21.44	8.62
ASTM A 106 GR.B	273.00	21.44	8.71
ASTM A 106 GR.B	273.00	21.44	8.68
ASTM A 106 GR.B	273.00	21.44	8.78
ASTM A 106 GR.B	273.00	21.44	8.21
ASTM A 106 GR.B	273.00	21.44	8.83
ASTM A 106 GR.B	323.80	6.50	10.56
ASTM A 106 GR.B	323.80	7.92	11.22
ASTM A 106 GR.B	323.80	7.92	11.38
ASTM A 106 GR.B	323.80	7.92	11.54
ASTM A 106 GR.B	323.80	7.92	11.45
ASTM A 106 GR.B	323.80	7.92	10.09
ASTM A 106 GR.B	323.80	7.92	10.93
ASTM A 106 GR.B	323.80	7.92	11.02
ASTM A 106 GR.B	323.80	7.92	11.08
ASTM A 106 GR.B	323.80	7.92	10.99
ASTM A 106 GR.B	323.80	7.92	11.42
ASTM A 106 GR.B	323.80	7.92	11.15
ASTM A 106 GR.B	323.80	7.92	11.13
ASTM A 106 GR.B	323.80	7.92	11.21
ASTM A 106 GR.B	323.80	9.53	11.48
ASTM A 106 GR.B	323.80	9.53	11.63
ASTM A 106 GR.B	323.80	9.53	11.20
ASTM A 106 GR.B	323.80	9.53	11.72
ASTM A 106 GR.B	323.80	9.53	11.26
ASTM A 106 GR.B	323.80	9.53	11.33
ASTM A 106 GR.B	323.80	9.53	11.84
ASTM A 106 GR.B	323.80	9.53	11.17

ASTM A 106 GR.B	323.80	9.53	11.55
ASTM A 106 GR.B	323.80	9.53	11.65
ASTM A 106 GR.B	323.80	9.53	11.83
ASTM A 106 GR.B	323.80	9.53	11.78
ASTM A 106 GR.B	323.80	9.53	11.48
ASTM A 106 GR.B	323.80	9.53	11.48
ASTM A 106 GR.B	323.80	9.53	11.88
ASTM A 106 GR.B	323.80	9.53	11.58
ASTM A 106 GR.B	323.80	9.53	11.57
ASTM A 106 GR.B	323.80	9.53	11.59
ASTM A 106 GR.B	323.80	9.53	11.63
ASTM A 106 GR.B	323.80	9.53	11.40
ASTM A 106 GR.B	323.80	9.53	11.71
ASTM A 106 GR.B	323.80	9.53	11.25
ASTM A 106 GR.B	323.80	9.53	11.54
ASTM A 106 GR.B	323.80	9.53	11.28
ASTM A 106 GR.B	323.80	9.53	11.54
ASTM A 106 GR.B	323.80	9.53	11.13
ASTM A 106 GR.B	323.80	9.53	11.61
ASTM A 106 GR.B	323.80	9.53	11.66
ASTM A 106 GR.B	323.80	9.53	11.76
ASTM A 106 GR.B	323.80	9.53	11.44
ASTM A 106 GR.B	323.80	9.53	11.43
ASTM A 106 GR.B	323.80	9.53	11.65
ASTM A 106 GR.B	323.80	9.53	11.60
ASTM A 106 GR.B	323.80	9.53	11.60
ASTM A 106 GR.B	323.80	9.53	11.43
ASTM A 106 GR.B	323.80	9.53	11.32
ASTM A 106 GR.B	323.80	9.53	11.18
ASTM A 106 GR.B	323.80	9.53	11.56
ASTM A 106 GR.B	323.80	9.53	11.78
ASTM A 106 GR.B	323.80	9.53	11.38
ASTM A 106 GR.B	323.80	9.53	11.36
ASTM A 106 GR.B	323.80	9.53	11.81
ASTM A 106 GR.B	323.80	9.53	11.57
ASTM A 106 GR.B	323.80	9.53	11.41
ASTM A 106 GR.B	323.80	9.53	11.37
ASTM A 106 GR.B	323.80	9.53	11.29
ASTM A 106 GR.B	323.80	9.53	11.71
ASTM A 106 GR.B	323.80	9.53	11.71
ASTM A 106 GR.B	323.80	9.53	11.06
ASTM A 106 GR.B	323.80	9.53	11.65
ASTM A 106 GR.B	323.80	9.53	9.35
ASTM A 106 GR.B	323.80	9.53	11.23
ASTM A 106 GR.B	323.80	9.53	11.63
ASTM A 106 GR.B	323.80	9.53	11.72
ASTM A 106 GR.B	323.80	9.53	11.28
ASTM A 106 GR.B	323.80	9.53	11.73
ASTM A 106 GR.B	323.80	9.53	11.06
ASTM A 106 GR.B	323.80	9.53	11.10
ASTM A 106 GR.B	323.80	9.53	9.95
ASTM A 106 GR.B	323.80	9.53	11.11
ASTM A 106 GR.B	323.80	14.27	6.00
ASTM A 106 GR.B	323.80	14.27	6.00
ASTM A 106 GR.B	323.80	14.27	6.00
ASTM A 106 GR.B	323.80	14.27	6.00
ASTM A 106 GR.B	323.80	17.48	7.92
ASTM A 106 GR.B	323.80	17.48	7.31
ASTM A 106 GR.B	323.80	17.48	7.93
ASTM A 106 GR.B	323.80	17.48	7.46
ASTM A 106 GR.B	323.80	17.48	7.61
ASTM A 106 GR.B	323.80	21.44	9.92

ASTM A 106 GR.B	355.60	19.05	6.00
ASTM A 106 GR.B	355.60	19.05	6.00
ASTM A 106 GR.B	355.60	19.05	6.00
ASTM A 106 GR.B	355.60	19.05	6.00
ASTM A 106 GR.B	355.60	19.05	6.00
ASTM A 106 GR.B	355.60	19.05	6.00
ASTM A 106 GR.B	355.60	19.05	8.73
ASTM A 106 GR.B	355.60	19.05	8.79
ASTM A 106 GR.B	406.00	12.70	10.93
ASTM A 106 GR.B	406.00	12.70	11.06
ASTM A 106 GR.B	406.00	12.70	10.75
ASTM A 106 GR.B	406.00	12.70	11.06
ASTM A 106 GR.B	406.00	12.70	10.87
ASTM A 106 GR.B	406.00	12.70	9.84
ASTM A 106 GR.B	406.00	21.44	6.00
ASTM A 106 GR.B	406.00	21.44	6.00